


ELECTRONIC CASH REGISTER

CE-7000

GROCERY
DAIRY
H.B.A.



FROZEN
FOOD
DELICATESSEN

Eu Di U.K.
Cl Canada

USER'S MANUAL

CASIO[®]

www.cashregisters.net

Introduction & Contents

Introduction

Congratulations on your selection of a CASIO CE-7000 series electronic cash register. This ECR is the product of the world's most advanced electronic technology, for outstanding versatility and reliability.

Simplified operation is made possible by a specially designed keyboard layout and a wide selection of automated, programmable functions.

A specially designed keyboard layout and a bright, easy-to-read display help to take the fatigue out of long hours operation.

Notes for CE-7000-1



Casio Electronics Co., Ltd.
Unit 6, 1000 North Circular Road
London NW2 7JD, U.K.

Please keep all information for future reference.

Notes for CE-7000

GUIDELINES LAID DOWN BY FCC RULES FOR USE OF THE UNIT IN THE U.S.A. (Not applicable to other areas)

WARNING: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.



This digital apparatus does not exceed the Class A limits for radio noise emissions from digital apparatus as set out in the Radio Interference Regulations of Canadian Department of Communications.

The main plug on this equipment must be used to disconnect mains power. Please ensure that the socket outlet is installed near the equipment and shall be easily accessible.

Important!



Your new cash register has been carefully tested before shipment to ensure proper operation. Safety devices eliminate worries about breakdowns resulting from operator errors or improper handling. In order to ensure years of trouble-free operation, however, the following points should be noted when handling the cash register.

Do not locate the cash register where it will be subjected to direct sunlight, high humidity, splashing with water or other liquids, or high temperature (such as near a heater).




Be sure to check the sticker on the side of the cash register to make sure that its voltage matches that of the power supply in the area.

Never operate the cash register while your hands are wet.



Use a soft, dry cloth to clean the exterior of the cash register. Never use benzene, thinner, or any other volatile agent.

Never try to open the cash register or attempt your own repairs. Take the cash register to your authorized CASIO dealer for repairs.



Introduction & Contents

Introduction & Contents	2
Remove the cash register from its box.	8
Remove the tape holding parts of the cash register in place.	8
Remove the cash drawer from its box.	8
Connect the drawer.	8
Getting Started	8
Mount the cash register.	9
Plug the cash register into a wall outlet.	9
Insert the mode key marked "OW" into the mode switch.	9
Install receipt/journal paper.	10
Set the date.	12
Set the time.	12
Introducing CE-7000	14
General guide	14
Display	16
Keyboard	18
Department key layout variation	20
Allocatable functions	22
Basic Operations and Setups	24
How to read the printouts	24
How to use your cash register	25
Assigning a clerk	26
Clerk button	26
Clerk lock/clerk key	26
Clerk secret number key	26
Displaying the time and date	27
To display and clear the date/time	27
Preparing coins for change	27
Preparing and using department keys	28
Registering department keys	28
Programming department keys	29
To program a unit price for each department	29
To program the tax calculation status for each department	29
To program high amount limit for each department	30
Registering department keys by programming data	31
Preset price	31
Preset tax status	31
Locking out high amount limitation	31
Preparing and using PLUs	32
Programming PLUs	32
To program a unit price for each PLU	32
To program tax calculation status for each PLU	32
Registering PLUs	33
Shifting the taxable status of an item	35
Calculation merchandise subtotal	35
Preparing and using discounts	36
Programming discounts	36
Registering discounts	36
Discount for items and subtotals	36
Preparing and using reductions	37
Programming for reductions	37
To program preset reduction amount	37
Registering reductions	37
Reduction for items	37
Reduction for subtotal	38

Registering credit and check payments	39
Check	39
Credit	39
Mixed tender (cash, credit and check)	39
Preparing and registering the Euro	40
Basic programming for the Euro and its exchange rate	40
Registering the Euro	40
Validation printing	42
Total amount validation	42
Validation sample	42
Registering returned goods in the REG mode	43
Registering returned goods in the RF mode	43
Normal refund transaction	43
Reduction of amounts paid on refund	44
Registering money received on account	44
Registering money paid out	44
Registering loan amounts	45
Registering pick up amounts	45
Changing media in drawer	45
Making corrections in a registration	46
To correct an item you input but not yet registered	46
To correct an item you input and registered	47
To cancel all items in a transaction	48
No sale registration	48
Printing the daily sales reset report	49
Advanced Operations	50
Stock check	50
Clerk interrupt function	50
Single item cash sales	51
Addition	52
Addition (plus)	52
Premium (%+)	53
Tray total	54
Tray total premium/discount	54
Multiple item totalling function	54
Coupon transactions	55
Coupon registration using <COUPON> (coupon key)	55
Coupon registration using <COUPON2> (coupon 2 key)	55
Registering the second unit price	56
Preset tender amount	57
Bottle link operation	58
Bottle returns	58
Bottle return key	58
Arrangement key registrations	59
Set menu	59
Currency exchange function	60
Registering foreign currency	60
Full amount tender in foreign currency	60
Partial tender in a foreign currency	61

Introduction & Contents



Food stamp function	62
Food stamp registration	62
No change due	62
Mixed food stamp/cash change	63
Food stamp registration (Illinois rule)	65
No change due	65
Mixed food stamp/cash change	67
Electronic benefits transfer	71
About mixed EBT card tenders	71
No change due	71
Tips	72
Inputting the number of customers	73
Text recall	74
Temporarily releasing compulsion	74
Printing slip	75
Printing slips	75
To perform auto batch printing 1	76
To perform auto batch printing 2	76
About the maximum number of slip lines	76
Check tracking systems	76
Check tracking system	76
Opening a check	77
Adding to a check	77
Issuing a guest receipt	78
Closing a check memory	78
New/old check key operation	79
Add check	80
Separate check	81
Clerk transfer	82
Table transfer	82
Price reductions (red price)	83
Condiment/preparation PLUs	84
VAT breakdown printing	85
Deposit registrations	85
Deposit from customer	85
Deposit from customer during sales transaction	85
Bill copy	86
Actual stock quantity inquiry	87
Unit price inquiry	87
Previous item void using <review>	88
Scanning PLU	89
Item registration	89
By scanner/code input/one touch NLU key	89
Not found PLU	89
Programming to clerk	90
Programming clerk number	90
Programming trainee status	90
Programming commission rate	90
Programming descriptors and messages	91
Programming receipt message and clerk name	91
Machine number	91
Programming department/transaction key descriptor	93
Programming PLU descriptor	94

Entering characters	95
Using character keyboard	95
Entering characters by code	96
Character code list	96
Editing characters	97
Printing read/reset reports	98
To print the individual department, PLU read report	98
To print the financial read report	99
To print the individual clerk read/reset report	99
To print the daily sales read/reset report	100
To print the PLU read/reset report	102
To print the hourly sales read/reset report	102
To print the monthly sales read/reset report	103
To print the group read/reset report	103
To print the periodic 1/2 sales read/reset reports	104
To print other sales read/reset reports	106
Reading the cash register's program	107
To print unit price/rate program (except PLU/scanning PLU)	107
To print key descriptor, name, message program (except PLU)	108
To print the PLU program	109
When an error occurs	110
Troubleshooting	110
When the register does not operate at all	112
Clearing a machine lock up	113
In case of power failure	113
User Maintenance and Options	114
To replace the ink ribbon	114
To replace journal paper	115
To replace receipt paper	116
To replenish the stamp ink	116
Options	116
Specifications	117
Index	118

Getting Started

This section outlines how to unpack the cash register and get it ready to operate. You should read this part of the manual even if you have used a cash register before. The following is the basic set up procedure, along with page references where you should look for more details.

1. Remove the cash register from its box.



2. Remove the tape holding parts of the cash register in place.


Also remove the small plastic bag taped to the printer cover. Inside you will find the mode keys.

3. Remove the cash drawer from its box.

The cash register and cash drawer are packed separately.



4. Connect the drawer.

1. Connect drawer connector (three color lead on drawer) to the cash register.
2. Connect frame drawer connector (green lead on drawer) to the cash register.



5. Mount the cash register.


1. Screw in 2 fixing screws bottom side of the register.
2. Mount the cash register on the top of the drawer, ensuring that the feet on the bottom of the cash register go into the holes on the drawer.



6. Plug the cash register into a wall outlet.

Be sure to check the sticker on the side of the cash register to make sure that its voltage matches that of the power supply in your area. The printer will operate for a few seconds. Please do not pass the power cable under the drawer.


7. Insert the mode key marked "OW" into the mode switch.



8. Install receipt/journal paper.

Loading journal paper

The same type of paper (45 mm × 83 mm i.d.) is used for receipts and journal. Load the new paper before first operating the cash register or when red paper appears from the printer.



1

Use a mode key to set the mode switch to REG1 position.



5

Drop the paper roll gently and insert paper to the paper inlet.



2

Open the printer cover using the printer cover key.



3

Cut off the leading end of the paper so it is even.



6

Press the **JOURNAL FEED** key until about 20 cm to 30 cm of paper is fed from the printer.



4

Ensuring the paper is being fed from the bottom of the roll, lower the roll into the space behind the printer.



7

Slide the leading end of the paper into the groove on the spindle of the take-up reel and wind it onto the reel two or three turns.

Loading receipt paper

Follow steps ① through ③ under “Loading journal paper” on the previous page.




⑧ Place the take-up reel into place behind the printer, above the roll paper.



⑨ Press the **JOURNAL FEED** key to take up any slack in the paper.



⑩ Close the printer cover.



④ Ensuring the paper is being fed from the bottom of the roll, lower the roll into the space behind the printer.



⑤ Drop the paper roll gently and insert paper to the paper inlet.



⑥ Press the **RECEIPT FEED** key until about 20 cm to 30 cm of paper is fed from the printer.





⑦ Set the printer cover, passing the leading end of the paper through the paper outlet. Close the printer cover and tear off the excess paper.




Important!

Never operate the cash register without paper. It can damage the printer.



9. Set the date.



Example:



10. Set the time.



Example:

08:20 AM ⇒ 0 8 2 0

09:45 PM ⇒ 2 1 4 5


(24-hour military time)



Introducing CE-7000

General guide

This part of the manual introduces you to the cash register and provides a general explanation of its various parts.



Roll paper

You can use the roll paper to print receipts and a journal (pages 10 ~ 11).

Printer ink ribbon


Provides ink for printing of registration details on the roll paper (page 114).

Receipt on/off switch / key


Use the receipt on/off switch/key in REG1, REG2 and RF modes to control issuance of receipts. In other modes, receipts or reports are printed regardless the receipt switch/key setting.

A post-finalization receipt can still be issued after finalization when the switch/key is set to off. The cash register can also be programmed to issue a post-finalization receipt even when the switch/key is set to on.

Receipt on/off switch




Receipt on/off key



When the register issues receipts, this indicator is lit.

Mode key (for U.K., U.S. and Canada)


The following four types of mode keys are provided with the unit in the United Kingdom, the United States and Canada.



- a. OP (Operator) key
Switches between OFF and REG1.
- b. M (Master) key
Switches between OFF, REG1, REG2, X1 and RF.
- c. OW (Owner) key
Switches between OFF, REG1, REG2, X1, Z1, X2/Z2 and RF.
- d. PGM (Program) key
Switches to any position.

Mode key (for other area)


The following three types of mode keys are provided with the unit in areas outside of the United Kingdom, the United States and Canada.



- a. OP (Operator) key
Switches between OFF and REG1.
- b. M (Master) key
Switches between OFF, REG1, REG2, X1 and RF.
- c. OW (Owner) key
Switches to any position.

Mode switch

Use the mode keys to change the position of the mode switch and select the mode you want to use.



Mode switch	Mode name	Description
OFF	Stand-by	Any of the mode control keys can be inserted and removed from the mode switch in this position.
REG1	Register 1	Used for normal sales transactions. Any of the mode control keys can be inserted and removed from the mode switch in this position.
REG2	Register 2	Used for special operations. Since switching to REG2 requires a special key, such functions as discounts, credit sales, charge sales, check payments, and paid outs can be controlled by programming them as prohibited in REG1 and allowed in REG2.
RF	Refund Reg minus	Used for processing refunds. When the mode switch of the register is in RF position, you can access either the refund mode or the register minus mode.
X1	Daily sales read	Used to obtain daily reports without resetting (clearing) all total data.
Z1	Daily sales reset	Used to obtain daily reports while resetting (clearing) all total data.
X2/Z2	Periodic sale read/reset	Used to obtain periodic sales reports without resetting total data or while resetting all total data.
PGM	Program	Used when programming functions and preset data such as unit prices and tax rates. Also used when reading program data.

Introducing CE-7000

Display

Display panel

Main display for the U.S.



Customer display for all area



Main display for Canada and Germany



Main display for other area



Display example

Item registration




- ① **Amount/Quantity**
This part of the display shows monetary amounts. It also can be used to show the current time.
- ② **Item descriptor**
When you register a department/PLU/scanning PLU, the item descriptor appears here.
- ③ **Item counter**
Number of item sold is displayed.
- ④ **Subtotal amount**
Current subtotal amount (add-on tax excluded) is displayed.

Repeat registration



- ⑤ **Number of repeats**
Anytime you perform a repeat registration (pages 28, 33), the number of repeats appears here. Note that only one digit is displayed for the number of repeats. This means that a “5” could mean 5, 15 or even 25 repeats.
- ⑥ **2nd, 3rd menu indicator**
When you press PRICE
SHIFT to designate the 2nd/3rd unit price, the corresponding number is displayed.
- ⑦ **Taxable sales status indicators**
When you register a taxable item, the corresponding indicator is lit.


Totalize operation




- ⑧ **Amount tendered key descriptor/amount**
- ⑨ **Change descriptor/amount**
- ⑩ **Total/Change indicators**
When the TOTAL indicator is lit, the displayed value is monetary total or subtotal amount. When the CHANGE indicator is lit, the displayed value is the change due.
- ⑪ **RCT indicator**
When the register issues receipts, this indicator is lit.

Introducing CE-7000

Keyboard




for the U.S. and Canada



for German

• Register Mode

- ① **Paper feed key** ,
Hold this key down to feed paper from the printer.
- ② **Post receipt key**
Use this key to produce a post-finalization receipt .
- ③ **Receipt on/off key**
Use this key twice to change the status “receipt issue” or “no receipt.” This key is only effective when the “use printer for receipt printer” in the printer control program is selected. In case of “receipt issue”, the “RCT” indicator is lit.
- ④ **Media change key**
This key is used to change media in drawer amounts. Pressing this key enters media change operation.
- ⑤ **Discount key**
Use this key to register discounts.
- ⑥ **Minus key**
Use this key to input values for subtraction.
- ⑦ **Refund key**
Use this key to input refund amounts and void certain entries.
- ⑧ **Validation key**
Use this key to validate transaction amounts on slip.
- ⑨ **Non-add/No sale key**
Non-add key: To print reference number (to identify a personal check, credit card, etc.) during a transaction, use this key after some numerical entries.
No sale key: Use this key to open the drawer without registering anything.
- ⑩ **PLU key**
Use this key to input PLU numbers.
- ⑪ **Error correction/cancellation key**
Use this key to correct registration errors and to cancel registration of entire transactions.
- ⑫ **Clear key**
Use this key to clear an entry that has not yet been registered.
- ⑬ **Ten key pad**
Use these keys to input numbers.
- ⑭ **Multiplication/For/Date/Time key**
Use this key to input a quantity for a multiplication operation and registration of split sales of packaged items. Between transactions, this key displays the current time and date.
- ⑮ **Multiplication/Date/Time key**
Use this key to input a quantity for a multiplication operation. Between transactions, this key displays the current time and date.



for other area

- ⑮ **Clerk number key**
Use this key to sign clerk on and off the register.
- ⑰ **Open key**
Use this key to temporarily release a limitation on the number of digits that can be input for a unit price.
- ⑱ **Price key**
Use this key to register an amount to an open PLU when a PLU is used as an open PLU.
- ⑲ **Department keys** , , ~
Use these keys to register items to departments.
- ⑳ **Tax status shift 1 key**
Use this key to change the Taxable 1 status of the next item.
- ㉑ **Tax status shift 2 key**
Use this key to change the Taxable 2 status of the next item.
- ㉒ **Coupon key**
Use this key to register coupon. The registered coupon amount is deducted from the department, PLU, gross and net totalizers.
- ㉓ **VAT key**
Use this key to print a VAT breakdown.
- ㉔ **Received on account key**
Use this key following a numeric entry to register money received for non-sale transactions.
- ㉕ **Paid out key**
Use this key following a numeric entry to register money paid out from the drawer.
- ㉖ **Euro/Paid out key**
Euro key: Use this key to convert the main currency to the sub currency (the euro/the local money), when registering a subtotal amount. This key is also used for specifying sub currency while entering an amount of payment or declaration in drawers.
Paid out key: Use this key following a numeric entry to register money paid out from the drawer.
- ㉗ **Credit key** ,
Use this key to register a credit sale.
- ㉘ **Charge key**
Use this key to register a charge sale.
- ㉙ **Check key**
Use this key to register a check tender.
- ㉚ **Subtotal key**
Use this key to display and print the current subtotal (includes add-on tax) amount.
- ㉛ **Cash/Amount tendered key**
Use this key to register a cash tender.

Introducing CE-7000

Department key layout variation

30 department

5	10	15	20	25	30
4	9	14	19	24	29
3	8	13	18	23	28
2	7	12	17	22	27
1	6	11	16	21	26

20 department

5	10	15	20
4	9	14	19
3	8	13	18
2	7	12	17
1	6	11	16

15 department

5	10	15
4	9	14
3	8	13
2	7	12
1	6	11

Clerk key/button/lock

On models available in the United States and Canada, clerk or cashier assignment can be performed using clerk secret numbers only (clerk buttons are not equipped).


In Germany, you can assign clerks by using clerk key or by clerk secret number (clerk key is equipped).

In other areas, you can assign clerks by using clerk button or by clerk secret number.


The method you are assigning clerk depends on the programming of your cash register.

Clerk lock/key

You can assign the clerk or cashier inserting a clerk key into the clerk lock .




Clerk lock



Clerk key

Clerk secret number key

When the cash register is programmed to use clerk secret numbers for clerk or cashier assignment, the clerk buttons are not functional.



Clerk button

You can assign the clerk or cashier using the six buttons located below the display panel.



Drawer

The drawer opens automatically whenever you finalize a registration and whenever you issue a read or reset report.

Drawer lock (for medium size drawer)


Use the drawer key to lock and unlock the drawer.

Drawer open key (for large size drawer)

Use the drawer open key to open the drawer.

When the cash drawer does not open! (for medium size drawer only)

In case of power failure or the machine is in malfunction, the cash drawer does not open automatically. Even in these cases, you can open the cash drawer by pulling drawer release lever (see below).



Important!

The drawer will not open, if it is locked with a drawer lock key.

Allocatable functions

You can tailor a keyboard to suit your particular type of business.

Add check

Use this key in a check tracking system to combine the details of more than one check into a single check.

Arrangement

Use this key to activate an arrangement program programmed in the arrangement file. Any operation that can be performed from the keyboard, as well as mode, can be programmed in an arrangement program, and can be performed merely by pressing this key. In addition, one numeric entry can be included in an arrangement program. In this case, input the number and press this key.

The mode control function of this key can be programmed for all modes except for the OFF and PGM mode.

Bill copy

Use this key to issue bill copy.

Bottle return

Use this key to specify next item as bottle return.

Cancel

Invalidates all preceding data registered for departments, PLUs and set menus within a transaction. This key must be pressed before the transaction involving the data to be invalidated is finalized. It is also effective even after calculation of subtotal amount.

Check endorsement

Use this key to print a preset check endorsement message using the slip printer.

Check print

Use this key to print the check on the slip printer.

Clerk transfer

Use this key to transfer opened checks to another clerk.

Coupon

Use this key for registering coupons.

Coupon 2

Use this key to declare the next item registration as coupon.

Cube

This key provides the same functions as the Square key. In addition, this key also has a cube multiplication function.

Currency exchange

Use this key to convert foreign currency to local currency or vice versa using the exchange rate preset for the key and displays the result.

Use this key for conversions of a home currency subtotal or merchandise subtotal to equivalent of another country's currency.

Use this key for conversions of another country's currency to the equivalent of the home currency.

Customer number

Use this key to register the number of customers.

Declaration

Use this key to declare in drawer amount for money declaration.

Deposit

Use this key to register deposits.

Eat-in

Use this key to specify if the customer eats in the restaurant. Before closing a transaction press this key.

EBT (electronic benefit transfer)

Use this key to register an EBT amount with a tender amount input.

Flat PLU

Use this key to register items to flat PLU.

Food stamp shift

Use this key to change food stamp status.

Food stamp subtotal

Use this key to obtain the food stamp applicable amount.

Food stamp tender

Use this key to register a food stamp payment amount with a tender amount input.

Ketten Bon

Use this key to enter quantities for multiplication. Multiplication by this key issues singular order prints.

Manual tax

Use this key to register a tax amount.

Menu shift

Use this key to shift key to the 1st ~ 6th menu.

Merchandise subtotal

Use this key to obtain subtotal excluding the add-on tax amount and the previous balance.

New balance

Use this key for adding the latest registered total amount to the previous balance to obtain a new balance.

New check

Use this key in a check tracking system to input a new check number in order to open a new check under that number.

New/Old check

Use this key in a check tracking system to input check numbers in order to open new checks and to reopen existing checks. When the clerk inputs a check number, the register checks to see if that number already exists in the check tracking memory. If there is no matching number in the memory, a new check is opened under the input number. If the check number input matches a number already stored in the memory, that check is reopened for further registration or finalization.

No sale

Use this key to open the drawer between transaction.

Non add

Use this key to print reference numbers (personal check number, card number, etc.)

Normal receipt

Use this key to change the order status from Bon to normal.

OBR (Optical barcode reader)

Use this key to input optical barcodes manually.

Old check

Use this key in a check tracking system to input the number of an existing check (previously created by the New check key) whose details are stored in the check tracking memory. Existing checks are reopened to perform further registration or to finalize them.

One touch NLU

Use this key to register scanning PLU directly from the keyboard. There is one One touch NLU key for one scanning PLU, and multiple one touch NLU keys can be set on the keyboard.

Open 2

Use this key to suspend the compulsory specifications.

Open check

Use this key to issue an open check report of an assigned clerk.

Operator number

Use this key to enter a clerk number during clerk transfer.

Operator X/Z

Use this key to issue a clerk's individual X/Z report.

Plus

Use this key for registering surcharge.

Premium

Use this key to apply a preset % or manual input % to obtain the premium amount for the last registered item or subtotal.

Previous balance

Use this key to register the previous negative/positive balance at the beginning of or during a transaction.

Previous balance subtotal

Use this key to obtain subtotal excluding the add-on tax amount and current balance.

Price

Use this key to register an open PLU.

Price change

Use this key to change scanning PLU unit price temporarily.

Price inquiry

Use this key to confirm the price and descriptors of PLU without registering.

Price shift

Use this key to shift a PLU item/flat-PLU key to the 1st ~ 2nd unit price, a scanning PLU to the 1st ~ 3rd unit price.

Rate tax

Use this key to activate the preset tax rate or manually input rate to obtain the tax for the preceding taxable status 1 amount.

Recall

Use this key for recalling the transferred check number by the store key. When this key is pressed, the check number will appear in order of the oldest record.

Red price

Use this key to register a new (discounted) price of an item.

Review

Use this key to examine the current transaction by displaying item descriptor and registered amount. This key is also used for void operation or separate check operation.

Scale

Use this key to read the weight of the item and shows it on the display. This key is also used to input the weight manually.

Separate check

Use this key in a check tracking system to separate selected items from one check to another check.

Slip feed/release

Use this key to feed slips inserted into the slip printer. This is done by specifying the number of feed lines. This key is also used to release the slip paper holder if numbers are not entered.

Slip back feed/release

Use this key to back feed slips inserted into the slip printer. This is done by specifying the number of feed lines. This key is also used to release the slip paper holder if numbers are not entered.

Slip print

Use this key to execute a slip batch printing on the slip printer. Pressing this key prints the sales details. Actual printing is performed following receipt issuance.

Square

This key provides the same functions as the Multiplication key. In addition, this key also has a square multiplication function.

Stock inquiry

Use this key to check the current stock quantity for a PLU without registering.

Store

Use this key for storing the check number of the registered items. When this key is pressed, registered item data will be stored, and then these data will transfer to the youngest check number.

Table number

Use this key to input table numbers.

Table transfer

Use this key to transfer the contents of a check to another check.

Takeout

Use this key to specify if the customer takes out items. Before total a transaction. Press this key for the tax exemption.

Tare

Use this key to input tare weight.

Tax exempt

Use this key to change taxable amounts to nontaxable amounts.

Taxable amount subtotal

Use this key to obtain taxable amount subtotal.

Text recall

Use this key to print preset characters.

Tip

Use this key to register tips.

Tray total

Use this key to display the total amount for all registrations from the last registration until this key is pressed or registrations between presses of this key.

Unit weight

Use this key to input the unit weight of a scalable item.

Void

Use this key to invalidate preceding item data registered.

How to read the printouts

- The journal and receipts are records of all transactions and operations.
- The contents printed on receipts and journal are almost identical.
- You can choose the journal skip function.

If the journal skip function is selected, the cash register will print the total amount of each transaction, and the details of premium, discount and reduction operations only, without printing department and PLU item registrations on the journal.

- The following items can be skipped on receipts and journal.
 - Consecutive number
 - Taxable status
 - Taxable amount
 - Item counter

Receipt Sample

```

*****
* THANK YOU *
** CALL AGAIN **
*****

* COMMERCIAL MESSAGE *
* COMMERCIAL MESSAGE *
* COMMERCIAL MESSAGE *
* COMMERCIAL MESSAGE *

REG 03-04-2000 11:58
C01 MC#01 000123

1 DEPT01 T1 -1.00
1 DEPT02 T1 -2.00
5 DEPT03 -5.00

7 No
TA1 -3.00
TX1 -0.15
TL -8.15
CASH -10.00
CG -1.85

*** BOTTOM MESSAGE ***
*** BOTTOM MESSAGE ***
*** BOTTOM MESSAGE ***
*** BOTTOM MESSAGE ***
    
```

Logo message

Commercial message

Mode/Date/Time
Clerk/Machine No.
Consecutive No.

Q'ty/Item

Item counter

Bottom message

**Journal Sample
(Item lines Included)**

```

REG 03-04-2000 11:58
C01 MC#01 000123
1 DEPT01 T1 -1.00
1 DEPT02 T1 -2.00
5 DEPT03 -5.00

7 No
TA1 -3.00
TX1 -0.15
TL -8.15
CASH -10.00
CG -1.85

REG 03-04-2000 11:59
C02 MC#01 000124
1 DEPT01 T1 -1.00
1 DEPT03 T1 -3.00
1 DEPT02 T1 -2.00
1 DEPT04 T1 -4.00
5 DEPT05 -5.00

9 No
TA1 -10.00
TX1 -0.50
TL -15.50
CASH -20.00
CG -4.50
    
```

**Journal Sample
(Item lines Skipped)**

```

REG 03-04-2000 11:57
C01 MC#01 000123
7 No
TA1 -3.00
TX1 -0.15
TL -8.15
CASH -10.00
CG -1.85

REG 03-04-2000 11:57
C02 MC#01 000124
9 No
TA1 -10.00
TX1 -0.50
TL -15.50
CASH -20.00
CG -4.50

REG 03-04-2000 11:58
C01 MC#01 000125
7 No
TA1 -3.00
TX1 -0.15
TL -9.35
CASH -10.00
CG -0.45


REG 03-04-2000 11:59
    
```

In the operation examples contained in this manual, the print samples are what would be produced if the roll paper is being used for receipts. They are not actual size. Actual receipts are 45 mm wide. Also, all sample receipts and journals are printout images.

How to use your cash register

The following describes the general procedure you should use in order to get the most out of your cash register.


BEFORE business hours...




- Check to make sure that the cash register is plugged in securely. Page 9
- Check to make sure there is enough paper left on the roll. Pages 10, 11
- Read the financial totals to confirm that they are all zero. Page 99
- Check the date and time. Page 27

DURING business hours...

- Register transactions. Page 28
- Periodically read totals. Page 98



AFTER business hours...



- Reset the daily totals. Page 49
- Remove the journal. Page 115
- Empty the cash drawer and leave it open. Page 21
- Take the cash and journal to the office.

Basic Operations and Setups

Assigning a clerk



On models available in the United States and Canada, clerk or cashier assignment can be performed using clerk secret numbers only (clerk buttons are not equipped). In Germany, you can assign clerks by using clerk key or by clerk secret number (clerk key is equipped).

In other areas, you can assign clerks by using clerk button or by clerk secret number. The method you use for assigning clerk depends on the programming of your cash register.

Clerk button

You can assign the clerk or cashier using the six buttons located below the display panel.

Clerk lock/clerk key

You can assign the clerk or cashier inserting a clerk key into the clerk lock .

Clerk secret number key

When the cash register is programmed to use clerk secret numbers for clerk or cashier assignment, the clerk buttons are not functional.

Clerk sign on

	OPERATION	RECEIPT
Signing clerk 1 on:	1 → <input type="button" value="CLK#"/>	
Signing clerk 2 on:	2 → <input type="button" value="CLK#"/>	
...	...	
Signing clerk 15 on:	1 5 → <input type="button" value="CLK#"/>	

Clerk secret number
(1 ~ 15 is set as default.)

- If you do not want the clerk secret number to be shown on the display, press before entering the number.

Clerk sign off

	OPERATION
Signing clerk off: (except PGM mode)	0 → <input type="button" value="CLK#"/>

- The current clerk is also signed off whenever you set the mode switch to OFF position.

Important!

- The error code "E008" appears on the display whenever you try to perform a registration, a read/reset operation without signing on.
- A clerk cannot sign on unless other clerk is signed off.
- The signed on clerk is also identified on the receipt/journal.

Displaying the time and date



You can show the time or date on the display of the cash register whenever there is no registration being made.

To display and clear the date/time

OPERATION	DISPLAY
<p> <input type="checkbox"/> FOR DATE TIME or <input type="checkbox"/> DATE TIME </p> <p>Date/time appears on the display.</p>	
<p><input type="checkbox"/> C</p> <p>Clears the date/time display.</p>	

Preparing coins for change



You can use the following procedure to open the drawer without registering an item. This operation must be performed out of a sale. (You can use the RC key instead of the #/NS key. See page 48.)

Opening the drawer without a sale

OPERATION	RECEIPT
<p><input type="checkbox"/> #/NS</p>	

Preparing and using department keys

Registering department keys



The following examples show how you can use the department keys in various types of registrations.

Single item sale

Example 1

OPERATION

RECEIPT

Item	Unit price	\$1.00
	Quantity	1
	Dept.	1
Payment	Cash	\$1.00

1 00
Unit price

1
Department

Department

CA/AMT
TEND

```
REG 03-04-2000 09:05
C01 MC#01 000002
1 DEPT01 -1.00
TL -1.00
CASH -1.00
```

Date/time

Mode/consecutive No.

Department No./unit price

Total amount

Example 2 (Subtotal registration and change computation)

OPERATION

RECEIPT

Item	Unit price	\$12.34
	Quantity	1
	Dept.	1
Payment	Cash	\$20.00

1 2 3 4

1
Department

SUB
TOTAL

2 0 00 CA/AMT
TEND

Amount tendered

```
REG 03-04-2000 09:10
C01 MC#01 000003
1 DEPT01 -12.34
TL -12.34
CASH -20.00
CG -7.66
```

Total amount

Amount tendered

Change

Repeat

OPERATION

RECEIPT

Item	Unit price	\$1.50
	Quantity	3
	Dept.	1
Payment	Cash	\$10.00

1 5 0 **1**

1
Department

1
Department

SUB
TOTAL

1 0 00 CA/AMT
TEND

```
REG 03-04-2000 09:15
C01 MC#01 000004
1 DEPT01 -1.50
1 DEPT01 -1.50
1 DEPT01 -1.50
TL -4.50
CASH -10.00
CG -5.50
```

Repeat

Repeat

Multiplication

Item	Unit price	\$1.00
	Quantity	12
	Dept.	1
Payment	Cash	\$20.00

OPERATION

1 2 DATE TIME

Quantity
(4-digit integer/2-digit decimal)

1 00 1

2 0 00 SUB TOTAL

CA/AMT /TEND

RECEIPT

```
REG 03-04-2000 09:20
C01 MC#01 000005
12 DEPT01 -12.00
12 @1/ 1.00
DEPT01 -12.00
TL -12.00
CASH -20.00
CG -8.00
```

Quantity/result
or
Quantity/unit q'ty/@
Result

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Split sales of packaged items

Item	Unit price	4 for \$10.00
	Quantity	3
	Dept.	1
	Taxable	No
Payment	Cash	\$10.00

OPERATION

3 FOR DATE TIME

Quantity being purchased
(4-digit integer/2-digit decimal)

4 FOR DATE TIME

Package quantity
(4-digit integer/2-digit decimal)

1 0 00 1

Package price SUB TOTAL

1 0 00 CA/AMT /TEND

RECEIPT


```
REG 03-04-2000 09:25
C01 MC#01 000006
3 DEPT01 -7.50
3 @4/ 10.00
DEPT01 -7.50
TL -7.50
CASH -10.00
CG -2.50
```

Quantity/result
or
Quantity/unit q'ty/@
Result

- If FOR DATE TIME is not allocated on the keyboard, key allocation is necessary.

Programming department keys

To program a unit price for each department



To program the tax calculation status for each department

Tax calculation status

This specification defines which tax table should be used for automatic tax calculation.

Basic Operations and Setups


Programming procedure



for the U.S./Singapore			
Food stamp (for Singapore, always "0")		Yes = 1 No = 0	<input type="checkbox"/> D ₂
Taxable 1 status	a	Yes = 1 No = 0	<input type="checkbox"/> (a+b+c) D ₁
Taxable 2 status	b	Yes = 2 No = 0	
Taxable 3 status	c	Yes = 4 No = 0	
for Canada			
Donuts status		Yes = 1 No = 0	<input type="checkbox"/> D ₂
Non tax = 0 Taxable 1 = 1 Taxable 2 = 2	Taxable 3 = 3 Taxable 4 = 4 Taxable 1 & 2 = 5	Taxable 1 & 3 = 6 Taxable 1 & 4 = 7	Significant number <input type="checkbox"/> D ₁
for other area			
Non tax = 0 Taxable 1 = 1 Taxable 2 = 2 Taxable 3 = 3	Taxable 4 = 4 Taxable 5 = 5 Taxable 6 = 6 Taxable 7 = 7	Taxable 8 = 8 Taxable 9 = 9 Taxable 10 = 10	Significant numbers <input type="checkbox"/> <input type="checkbox"/> D ₂ D ₁


To program high amount limit for each department

Programming procedure



Description	Choice	Program code
High amount limit for entering unit price manually.	Significant numbers	<input type="checkbox"/> <input type="checkbox"/> D ₆ D ₅ ~ <input type="checkbox"/> <input type="checkbox"/> D ₂ D ₁


Registering department keys by programming data



Preset price

OPERATION

Item	Unit price	(\$1.00) _{preset}
	Quantity	1
	Dept.	2
Payment	Cash	\$1.00



RECEIPT


```
REG 03-04-2000 09:30
C01 MC#01 000007
1 DEPT02      -1.00
TL           -1.00
CASH         -1.00
```

Department No./unit price

Preset tax status

OPERATION

Item 1	Unit price	(\$2.00) _{preset}
	Quantity	5
	Dept.	3
	Taxable	(1) _{preset}
Item 2	Unit price	(\$2.00) _{preset}
	Quantity	1
	Dept.	4
	Taxable	(2) _{preset}
Payment	Cash	\$20.00



RECEIPT

```
REG 03-04-2000 09:35
C01 MC#01 000008
5 DEPT03 T1 -10.00
1 DEPT04 T2 -2.00
TA1      -10.00
TX1      -0.40
TA2      -2.00
TX2      -0.20
TL       -12.60
CASH     -20.00
CG       -7.40
```

Tax status

Taxable Amount 1

Tax 1

Taxable Amount 2


Tax 2

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Locking out high amount limitation

OPERATION

Item	Unit price	\$1.05
	Quantity	1
	Dept.	3
	Max.amount	(\$10.00) _{preset}
Payment	Cash	\$2.00



RECEIPT

```
REG 03-04-2000 09:40
C01 MC#01 000009
1 DEPT03      -1.05
TL           -1.05
CASH         -2.00
CG           -0.95
```

Preparing and using PLUs


This section describes how to prepare and use PLUs.

CAUTION:


Before you use PLUs, you must first program the unit price and tax status.

Programming PLUs

To program a unit price for each PLU




To program tax calculation status for each PLU



for the U.S./Singapore			
Food stamp (for Singapore, always "0")		Yes = 1 No = 0	<input type="checkbox"/> D ₂
Taxable 1 status	a	Yes = 1 No = 0	<input type="checkbox"/> (a+b+c) D ₁
Taxable 2 status	b	Yes = 2 No = 0	
Taxable 3 status	c	Yes = 4 No = 0	
for Canada			
Donuts status		Yes = 1 No = 0	<input type="checkbox"/> D ₂
Non tax = 0 Taxable 1 = 1 Taxable 2 = 2	Taxable 3 = 3 Taxable 4 = 4 Taxable 1 & 2 = 5	Taxable 1 & 3 = 6 Taxable 1 & 4 = 7	Significant number <input type="checkbox"/> D ₁
for other area			
Non tax = 0 Taxable 1 = 1 Taxable 2 = 2 Taxable 3 = 3	Taxable 4 = 4 Taxable 5 = 5 Taxable 6 = 6 Taxable 7 = 7	Taxable 8 = 8 Taxable 9 = 9 Taxable 10 = 10	Significant numbers <input type="checkbox"/> <input type="checkbox"/> D ₂ D ₁

Registering PLUs




The following examples show how you can use PLUs in various types of registrations.

PLU single item sale

Item	Unit price	(\$2.50) _{preset}
	Quantity	1
	PLU	14
Payment	Cash	\$3.00

OPERATION



RECEIPT


REG	03-04-2000	09:45
C01	MC#01	000010
1 PLU0014		-2.50
TL		-2.50
CASH		-3.00
CG		-0.50

PLU No./unit price

PLU repeat

Item	Unit price	(\$2.50) _{preset}
	Quantity	3
	PLU	14
Payment	Cash	\$10.00

OPERATION




RECEIPT

REG	03-04-2000	09:50
C01	MC#01	000011
1 PLU0014		-2.50
1 PLU0014		-2.50
1 PLU0014		-2.50
TL		-7.50
CASH		-10.00
CG		-2.50

PLU multiplication

Item	Unit price	(\$2.00) _{preset}
	Quantity	10
	PLU	7
Payment	Cash	\$20.00

OPERATION



RECEIPT

REG	03-04-2000	09:55
C01	MC#01	000012
10 PLU0007		-20.00
10 @1/ 2.00		-20.00
PLU0007		-20.00
TL		-20.00
CASH		-20.00
CG		-0.00

Quantity/result
or
Quantity/unit q'ty/@
Result

- The model for the U.S./Canada, use instead of .

Basic Operations and Setups

Split sales of packaged item

OPERATION		RECEIPT
	Unit price (5for\$20.00) _{preset}	
Item	Quantity 3	REG 03-04-2000 10:00 C01 MC#01 000013
	PLU 28	3 PLU0028 -12.00
Payment	Cash \$15.00	3 @5/ 20.00 PLU0028 -12.00

3 FOR DATE TIME

Quantity being purchased
(4-digit integer/2-digit decimal)

5 FOR DATE TIME

Package quantity
(4-digit integer/2-digit decimal)

2 8 PLU

1 5 00 SUB TOTAL
 CA/AMT TEND

Quantity/result
or
Quantity/unit q'ty/@
Result

- If FOR DATE TIME is not allocated on the keyboard, key allocation is necessary.

Open PLU

OPERATION		RECEIPT
	Unit price \$32.80	
Item 1	Quantity 1	REG 03-04-2000 10:05 C01 MC#01 000014
	PLU 30	1 PLU0030 -32.80
Item 2	Unit price \$13.00	1 PLU0031 -13.00
	Quantity 2	1 PLU0031 -13.00
	PLU 31	TL -58.80
Payment	Cash \$60.00	CASH -60.00 CG -1.20

3 0 PLU

3 2 8 0 PRICE

Unit price

3 1 PLU

1 3 00 PRICE

Repeat PRICE

6 0 00 SUB TOTAL
 CA/AMT TEND

- Before registering an open PLU, it is necessary to preset it as an open PLU.

Shifting the taxable status of an item

By pressing “Tax Shift” key, you can shift the taxable status of an item.

REG

Mode switch

Calculation merchandise subtotal

			OPERATION	RECEIPT
Item 1	Dept. 1	\$4.00	4 00 [1]	<pre> REG 03-04-2000 10:10 C01 MC#01 000015 1 DEPT01 T2 -4.00 1 DEPT02 T1 -2.00 1 DEPT03 T12 -6.00 1 DEPT04 -7.00 TA1 -8.00 TX1 -0.32 TA2 -10.00 TX2 -0.50 TL -19.82 CASH +20.00 CG -0.18 </pre>
	Quantity	1	[T/S1]	
	Taxable	(2) _{preset}	2 00 [2]	
Item 2	Dept. 2	\$2.00	Pressing [T/S1] changes the tax status from Nontaxable to Taxable 1	
	Quantity	1	[T/S2]	
	Taxable	(No)→1	6 00 [3]	
Item 3	Dept. 3	\$6.00	Pressing [T/S2] changes the tax status from Taxable 1 to Taxable 1, 2	
	Quantity	1	[T/S2]	
	Taxable	(1)→1, 2	7 00 [4]	
Item 4	Dept. 4	\$7.00	Pressing [T/S2] changes the tax status from Taxable 2 to Nontaxable	
	Quantity	1	SUB TOTAL	
	Taxable	(2)→No	2 0 0 0 CA/AMT/TEND	
Payment	Cash	\$20.00		

Important!


- To change the tax status of the next item to be registered, be sure to press [T/S1], [T/S2].
If the last item registered is programmed as nontaxable, a discount ([%-] key) operation on this item is always nontaxable.
In this case, you cannot manually change the tax status to Taxable 1 or 2 by pressing the [T/S1], [T/S2] keys.

Preparing and using discounts

This section describes how to prepare and register discounts.

Programming discounts

To program a rate to the **%-** key



Example:

10% ⇨ **1 0**
 5.5% ⇨ **5 . 5**
 12.34% ⇨ **1 2 . 3 4**

Registering discounts



The following example shows how you can use the **%-** key in various types of registration.

Discount for items and subtotals

	Dept. 1	\$5.00
Item 1	Quantity	1
	Taxable	(1) _{preset}
	PLU 16	(\$10.00) _{preset}
Item 2	Quantity	1
	Taxable	(2) _{preset}
Discount	Rate	(5%)_{preset}
Subtotal discount	Rate	3.5%
	Taxable	Nontaxable
Payment	Cash	\$15.00

OPERATION

RECEIPT

5 00 **1**
1 6 **PLU**
%-
 Applies the preset discount rate to the last item registered.
SUB TOTAL
3 . 5 **%-**
 The input value takes priority of the preset value.
SUB TOTAL
1 5 00 **CA/AMT/TEND**

```
REG 03-04-2000 10:15
C:01 MC#01 000016
1 DEPT01 T1 -5.00
1 PLU0016 T2 -10.00
5%
Z- T2 -0.50
ST -14.50
3.5%
Z- -0.51
TA1 -5.00
TX1 -0.20
TA2 -9.50
TX2 -0.48
TL -14.67
CASH -15.00
CG -0.33
```

- You can manually input rates up to 4 digits long (0.01% to 99.99%).

Taxable status of the **%-** key

- Whenever you perform a discount operation on the last item registered, the tax calculation for discount amount is performed in accordance with the tax status programmed for that item.
- Whenever you perform a discount operation on a subtotal amount, the tax calculation for the subtotal amount is performed in accordance with the tax status programmed for the **%-** key.


Preparing and using reductions

This section describes how to prepare and register reductions.

Programming for reductions

You can use the **[-]** key to reduce single item or subtotal amounts.

To program preset reduction amount



Registering reductions



The following examples show how you can use the **[-]** key in various types of registration.

Reduction for items

OPERATION			RECEIPT		
	Dept. 1	\$5.00	5 00	1	<pre> REG 03-04-2000 10:20 C01 MC#01 000017 1 DEPT01 T1 +5.00 - T1 -0.25 1 PLU0045 T1 +6.00 - T1 -0.50 TA1 +10.25 TX1 +0.41 TL -10.66 CASH +11.00 CG +0.34 </pre>
Item 1	Quantity	1	2 5	[-]	
	Taxable	(1) _{preset}	Reduces the last amount registered by the value input.		
Reduction	Amount	\$0.25			
	PLU 45	(\$6.00) _{preset}	4 5	PLU	
Item 2	Quantity	1	-	SUB TOTAL	
	Taxable	(1) _{preset}	1 1 00	CA/AMT /TEND	
Reduction	Amount	(\$0.50)_{preset}			
Payment	Cash	\$11.00			

- You can manually input reduction values up to 7 digits long.
- If you want to subtract the reduction amount from the department or PLU totalizer, program “Net totaling.”

Basic Operations and Setups

Reduction for subtotal

			OPERATION	RECEIPT
Item 1	Dept. 1	\$3.00	3 00 1	REG 03-04-2000 10:25 C01 MCH01 000018 1 DEPT01 T1 -3.00 1 DEPT02 T2 -4.00 - -0.75 TA1 -3.00 TX1 -0.12 TA2 -4.00 TX2 -0.20 TL -6.57 CASH -7.00 CG -0.43
	Quantity	1	4 00 2	
	Taxable	(1) _{preset}	SUB TOTAL	
Item 2	Dept. 2	\$4.00	7 5 -	
	Quantity	1	Reduces the subtotal by the value input here.	
	Taxable	(2) _{preset}		
Subtotal Reduction	Amount	\$0.75	7 00 CA/AMT/TEND	
	Taxable	(No)_{preset}		
Payment	Cash	\$7.00		

Registering credit and check payments

The following examples show how to register credits and payments by check.

REG

Mode switch

Check

OPERATION

RECEIPT

Item	Dept. 1	\$11.00
	Quantity	1
Payment	Check	\$20.00

1 1 00 1
SUB TOTAL
2 0 00 CHK/TEND

```
REG 03-04-2000 10:30
C01 MC#01 000019
1 DEPT01 -11.00
TL -11.00
CHECK -20.00
CG -9.00
```

Credit

OPERATION

RECEIPT

Item	Dept. 4	\$15.00
	Quantity	1
Reference	Number	1234
Payment	Credit	\$15.00

1 5 00 4
SUB TOTAL
1 2 3 4 #/NS
CRI

```
REG 03-04-2000 10:35
C01 MC#01 000020
1 DEPT04 -15.00
#/NS 1234 Reference No.
TL -15.00
CREDIT1 -15.00
```

Mixed tender (cash, credit and check)

OPERATION

RECEIPT

Item	Dept. 4	\$55.00
	Quantity	1
Payment	Check	\$30.00
	Cash	\$5.00
	Credit	\$20.00

5 5 00 4
SUB TOTAL
3 0 00 CHK/TEND
5 00 CA/AMT TEND
CRI

```
REG 03-04-2000 10:40
C01 MC#01 000021
1 DEPT04 -55.00
TL -55.00
CHECK -30.00
CASH -5.00
CREDIT1 -20.00
```

Preparing and registering the Euro


Basic programming for the Euro and its exchange rate

Before registering the Euro, you must define the main currency, and its exchange rate.
If you need to select cash drawer or some rounding specification, please ask your dealer.

Description	Choice	Program code
Define the euro as the main currency.	Yes = 0 No = 1	<input type="checkbox"/> D ₁₀
Select rounding option: Round off = 0, Cut off = 1, Round up = 2	Significant number (0 ~ 2)	<input type="checkbox"/> D ₉
Exchange rate (within 6-digits)	Significant numbers	<input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/> D ₈ D ₇ D ₆ D ₅ D ₄ D ₃
Decimal point position of exchange rate: Integer only = 0 1st decimal place = 1, 2nd decimal place = 2, 3rd decimal place = 3, 4th decimal place = 4, 5th decimal place = 5, 6th decimal place = 6 Example: (D ₈ ~ D ₂) 1Euro = 1.977DM; Set "001977" 1Euro = 1957.77319 Lit; Set "1957772"	Significant number (0 ~ 6)	<input type="checkbox"/> D ₂
Always "0"		<input type="text"/> D ₁



Registering the Euro



The following example shows the basic operation using the currency exchange function.














(1) Case A

Main currency	Local
Payment	Euro
Change	Local
Rate	1 Euro = 0.5 FFfr














(2) Case B

Main currency	Euro
Payment	Local
Change	Euro
Rate	1 Euro = 0.5 FFfr

Case A

OPERATION	DISPLAY
<p>6 0 0 1</p> <p> ← Press the  key, which converts the subtotal amount into the sub currency by applying the preset exchange rate.</p> <p> After you press the  key, the result is shown on the display.</p>	 
<p>1 5 00</p> <p> ← Press the  key if you enter the payment in the sub currency.</p>	 
<p> ← Press the  key to finalize the transaction. The change amount is shown in the programmed currency.</p>	

Case B


OPERATION	DISPLAY
<p>1 2 00 1</p> <p> ← Press the  key, which converts the subtotal amount into the sub currency by applying the preset exchange rate.</p> <p> After you press the  key, the result is shown on the display.</p>	 
<p>6 00</p> <p> ← Press the  key if you enter the payment in the sub currency.</p>	 
<p> ← Press the  key to finalize the transaction. The change amount is shown in the programmed currency.</p>	

Printouts

CASE A	CASE B
<pre>REG 03-04-2000 10:45 C01 MC#01 000022 1 DEPT01 -6.00 TL -6.00 €12.00 EURO money CASH €15.00 CASH -7.50 CG -1.50</pre>	<pre>REG 03-04-2000 10:50 C01 MC#01 000023 1 DEPT01 €12.00 TL €12.00 -6.00 LOCAL money CASH -6.00 CASH €12.00 CG €0.00</pre>

Basic Operations and Setups

Validation printing



You can perform total amount validation following finalization using **CA/AMT/TEND**, **CH**, **CHK/TEND**, **CR1**, **CR2** keys and **RC**, **PD** keys. Also you can perform single item validation.

Total amount validation

Item	Dept. 1	\$14.00
	Quantity	1
Payment	Check	\$20.00
Validation		

1 4 00 **1**

2 0 00


SUB TOTAL

CHK/TEND

REG 03-04-2000 10:55
C01 MC#01 000024

1 DEPT01 -14.00
TL -14.00
CHECK -20.00
CG -6.00

- ① Open the journal window.
- ② Insert paper.
- ③ Press **VALID**.



Validation sample

70 mm Min.

135 mm ~ 210 mm

Format A REG C01 030400 1055 MC#01 000024 CHECK -14.00

Format B REG C01 030400 1055 MC#01 024 CHECK -14.00

Mode (4 digits)

Clerk name (6 digits)

Date (6 digits), Time (4 digits)

Machine/Cons. No. (6 digits ea.)

Key descriptor

Amount

Registering returned goods in the REG mode



The following example shows how to use the **RF** key in the REG mode to register goods returned by customers.

OPERATION

Item 1	Dept. 1	\$2.35
	Quantity	1
Item 2	Dept. 2	\$2.00
	Quantity	1
Item 3	PLU 1	(\$1.20) _{preset}
	Quantity	1
Returned Item 1	Dept. 1	\$2.35
	Quantity	1
Returned Item 3	PLU 1	(\$1.20) _{preset}
	Quantity	1
Payment	Cash	\$2.00

2 3 5 1
2 00 2
1 PLU
RF
2 3 5 1
 Press **RF** before the item you want to return.
RF
1 PLU
SUB TOTAL
CA/AMT /TEND


RECEIPT

```

REG 03-04-2000 11:00
C01 MC#01 000025

1 DEPT01      -2.35
1 DEPT02      -2.00
1 PLU0001     -1.20
RF           .....
1 DEPT01      -2.35
RF           .....
1 PLU0001     -1.20
TL           - 2.00
CASH          -2.00
    
```

Registering returned goods in the RF mode



The following examples show how to use the RF mode to register goods returned by customers.

Normal refund transaction

OPERATION

Returned Item 1	Dept. 1	\$1.50
	Quantity	2
Returned Item 2	PLU 2	(\$1.20) _{preset}
	Quantity	6
Payment	Cash	\$10.20

1 5 0 1
1
6 **%DATE TIME**
2 PLU
CA/AMT /TEND

RECEIPT

```

RF 03-04-2000 11:05
C01 MC#01 000026

1 DEPT01      -1.50
1 DEPT01      -1.50
6 PLU0002     -7.20
TL           -10.20
CASH          -10.20
    
```

RF mode symbol

- The model for the U.S./Canada, use **%FOR DATE TIME** instead of **%DATE TIME**.

Basic Operations and Setups

Reduction of amounts paid on refund

OPERATION			RECEIPT
Returned Item 1	Dept. 3	\$4.00	<pre>RF 03-04-2000 11:10 C01 MC#01 000027 1 DEPT03 T1 -4.00 - T1 -0.15 1 PLU0002 T2 -1.20 5% %- T2 -0.06 TA1 -3.85 TX1 -0.15 TA2 -1.14 TX2 -0.06 TL -5.20 CASH -5.20</pre>
	Quantity	1	
Reduction	Amount	\$0.15	
Returned Item 2	PLU 2	(\$1.20) _{preset}	
	Quantity	1	
Discount	Rate	(5%) _{preset}	
Payment	Cash	\$5.20	

4	00	3
1	5	-
2	PLU	
	%-	
	SUB TOTAL	
	CA/AMT /TEND	

Important!

- To avoid miss registrations in the RF mode, return the mode switch to the former position immediately.

Registering money received on account



The following example shows how to register money received on account. This registration must be performed out of a sale.

OPERATION		RECEIPT
Received amount	\$700.00	<pre>REG 03-04-2000 11:15 C01 MC#01 000028 RC -700.00</pre>

7	00	00	RC
---	----	----	----

Amount can be up to 8 digits.

Registering money paid out



The following example shows how to register money paid out from the register. This registration must be performed out of a sale.

OPERATION		RECEIPT
Paid out amount	\$1.50	<pre>REG 03-04-2000 11:20 C01 MC#01 000029 PD -1.50</pre>

1	5	0	PD
			or
			PD

Amount can be up to 8 digits.

Registering loan amounts

Use this procedure to register loan or bank received from the office.

REG

Mode switch

OPERATION

RECEIPT

Item	Note	\$1.00
	Quantity	10
	Note	\$5.00
	Quantity	5
Media	Cash	\$35.00

1 0 DATE TIME
 1 00 LOAN
 5 DATE TIME
 5 00 LOAN
 CA/AMT/TEND

REG	03-04-2000	11:25
C01	MC#01	000030
LOAN		+10.00
LOAN		+25.00
CASH		+35.00

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Registering pick up amounts

Use this procedure to register pick up money from cash drawer.

REG

Mode switch

OPERATION

RECEIPT

Item	Coin	\$0.50
	Quantity	10
	Coin	\$0.10
	Quantity	5
Media	Cash	\$5.50

1 0 DATE TIME
 5 0 PICK UP
 5 DATE TIME
 1 0 PICK UP
 CA/AMT/TEND

REG	03-04-2000	11:30
C01	MC#01	000031
P.UP		+5.00
P.UP		+0.50
CASH		+5.50

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Changing media in drawer

Use this procedure to change media in drawer.

REG

Mode switch

OPERATION

RECEIPT

Media	Check	-10.00
	Cash	\$8.00
	Charge	\$2.00

MEDIA CHANGE
 1 0 00 CHK/TEND
 Enter the amount to be changed.
 8 00 CA/AMT/TEND
 2 00 CH

REG	03-04-2000	11:35
C01	MC#01	000032
MEDIA CHG	
CHECK		-10.00
CASH		+8.00
CH		+2.00

Making corrections in a registration

REG

Mode switch

There are three techniques you can use to make corrections in a registration.

- To correct an item that you input but not yet registered.
- To correct the last item you input and registered.
- To cancel all items in a transaction.

To correct an item you input but not yet registered

OPERATION

RECEIPT


<p>2 00</p> <p>C</p> <p>1 00 1</p> <p>1 2 %DATE TIME</p> <p>C</p> <p>1 1 %DATE TIME</p> <p>2 00 2</p> <p>2</p> <p>C</p> <p>3 PLU</p> <p>1 5 PLU</p> <p>6 00</p> <p>C</p> <p>1 5 PLU</p> <p>Enter PLU No. again.</p> <p>1 0 00 PRICE</p> <p>SUB TOTAL</p> <p>1 0 00</p> <p>C</p> <p>1 5 00 CA/AMT TEND</p> <p>CR1</p>	<p>Correction of unit price</p> <p>Correction of quantity</p> <p>Correction of PLU No.</p> <p>Correction of open PLU unit price</p> <p>Correction of partial tender amount</p>	<div style="border: 1px solid black; padding: 5px;"> <p>REG 03-04-2000 11:40</p> <p>EC01 MC#01 000033</p> <p>1 DEPT01 -1.00</p> <p>11 DEPT02 -22.00</p> <p>1 PLU0003 -1.30</p> <p>1 PLU0015 -10.00</p> <p>TL -34.30</p> <p>CASH -15.00</p> <p>CREDIT1 -19.30</p> </div>
--	--	---

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

To correct an item you input and registered

OPERATION

RECEIPT



REG	03-04-2000	11:45
C01	MC#01	000034
1	DEPT01	-1.00
1	DEPT02	-2.00
1	DEPT02	-2.00
	CORR	-2.00
1	PLU0002	-1.20
	CORR	-1.20
1	PLU0005	-1.50
1	PLU0015	-6.00
	CORR	-6.00
1	PLU0015	-10.00
8	DEPT04	-32.00
	CORR	-32.00
6	DEPT04	-24.00
	ST	-38.50
	50%	
	%-	-19.25
	CORR	-19.25
	ST	-38.50
	5%	
	%-	-1.93
	RF
1	DEPT02	-2.00
	CORR	-2.00
	RF
1	DEPT02	-2.20
	TL	-34.37
	CASH	-20.00
	CORR	-20.00
	CASH	-15.00
	CREDIT1	-19.37

• The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Basic Operations and Setups

To cancel all items in a transaction

OPERATION	RECEIPT
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">1</div> <div style="border: 1px solid black; padding: 2px;">00</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">2</div> <div style="border: 1px solid black; padding: 2px;">00</div> <div style="border: 1px solid black; padding: 2px;">2</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">3</div> <div style="border: 1px solid black; padding: 2px;">00</div> <div style="border: 1px solid black; padding: 2px;">3</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">4</div> <div style="border: 1px solid black; padding: 2px;">00</div> <div style="border: 1px solid black; padding: 2px;">4</div> </div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">SUB TOTAL</div> </div>	<div style="border: 1px solid black; padding: 5px;"> <pre> REG 03-04-2000 11:50 C01 MC#01 000035 1 DEPT01 -1.00 1 DEPT02 -2.00 1 DEPT03 -3.00 1 DEPT04 -4.00 CANCEL </pre> </div>
<p>Pressing SUB TOTAL key is necessary to cancel the transaction.</p> <div style="border: 1px solid black; padding: 2px; margin-top: 10px; text-align: center;">ERR CORR. CANCEL</div>	

No sale registration



You can use the following procedure to open the drawer without registering a sale. This operation must be performed out of a sale.



OPERATION	RECEIPT
<div style="border: 1px solid black; padding: 5px; text-align: center; width: 40px; margin: 0 auto;"># /NS</div>	<div style="border: 1px solid black; padding: 5px;"> <pre> REG 03-04-2000 11:55 C01 MC#01 000036 #/NS </pre> </div>

Printing the daily sales reset report

This report shows daily sales totals.

OPERATION

REPORT



Z	03-04-2000	18:00	Date/time
C01	MC#01	000237	Clerk name/mc No./consecutive No.

Z	BATCH01		Report title

Z	FIX	0001	Fixed total report title/reset counter
		0001011	Report code

GROSS		981.25	Gross total *2
		-6,574.40	
NET	No	111	Net total *2
		-7,057.14	
CAID		-1,919.04	Cash in drawer *2
CHID		-139.04	Charge in drawer *2
CKID		-859.85	Check in drawer *2
CRID(1)		-709.85	Credit in drawer *2

RF	No	3	Refund mode *2
		-10.22	
CUST	CT	111	Number of customer *2
AVRG		-63.57	Average sales per customer *2
DC		-1.22	Discount total *2
REF		-2.42	Refund key *2
CLEAR	No	85	Clear key count *2
ROUND		-0.00	Rounding total *2
CANCEL	No	2	Cancellation *2
		-12.97	

TA1		-2,369.69	Taxable 1 amount *2
TX1		-128.86	Tax 1 amount *2
TA2		-2,172.96	Taxable 2 amount *2
TX2		-217.33	Tax 2 amount *2

GT1		+00000000125478.96	Grand total 1 *2
GT2		+00000000346284.23	Grand total 2 *2
GT3		+00000000123212.75	Grand total 3 *2

Z	TRANS	0001	Function key report title/reset counter
		0001012	Report code
CASH	No	362	Function key count/amount *1
		-1,638.04	

CHARGE	No	56	
		-1,174.85	
RC	No	4	
		-810.00	
PD	No	5	
		-520.00	

CORR	No	14	
		-39.55	
VLD	No	19	
RCT	No	3	
NS	No	5	

Z	DEPT	0001	Department report title/reset counter
		0001015	Report code

DEPT01		203.25	Department count/amount *1
		-1,108.54	
DEPT02		183	
		-1,362.26	

DEPT04		-17.22	

TL		421.25	Department total count/total amount
		-2,872.28	

Z	CASHIER	0001	Clerk report title/reset counter
		0001017	Report code

C01	1	Clerk name/drawer No. *1
GROSS		421.25	Gross total *1
		-2,872.28	
NET	No	111	Net total *1
		-1,845.35	
CAID		-1,057.14	Cash in drawer *1
CHID		-139.04	
RF	No	1	Refund mode *1
		-1.00	
CLEAR	No	5	Clear key count *1
		-4.43	

C02	1	Clerk name/drawer No.

*1 Zero totalled departments/functions/clerks are not printed by programming.

*2 These items can be skipped by programming.

This chapter describes more sophisticated operations that you can use to suit the needs of your retail environment.

Stock check

Each PLU has an actual stock totalizer that you can program with a minimum stock quantity. Then the register checks actual stock quantities against the programmed minimum stock quantities. Stock operations are performed only for PLUs (except scanning PLUs) programmed with minimum stock quantities.

Stock warnings

The cash register checks for negative values in actual stock quantities during the registration itself. After registration is complete, it checks actual stock quantities against minimum stock quantities. The following warning indicators are used to inform the operator of any problem.

- **Negative stock:**

This indicates that the actual stock quantity is negative. You can also program the cash register to treat this condition as an error. This warning does not appear when the actual stock quantity is zero.

- **Under minimum stock:**

This indicates that the actual stock quantity is less than or equal to the minimum stock quantity. The cash register can be programmed so that a buzzer sounds when the actual stock quantity is less than the minimum stock quantity.

Notes

- The stock check operation is also performed for PLUs programmed with minimum stock quantities that make up set menus.
- None of the warning indicators appear unless the cash register is specifically programmed for the stock check operation.
- Stock operations can be performed for registrations in the RF mode or those performed with <REFUND> (the refund key).
- An error correct, void, or cancel operation restores the original of items in stock value.

Clerk interrupt function


There are two types of clerk interrupt function, illustrated by PROCEDURE 1 and PROCEDURE 2 below.

- In PROCEDURE 1, each clerk possesses a unique clerk interrupt buffer, and so the clerk interrupt function gives each individual clerk the ability to perform an independent registration operation. In this case, each clerk is individually linked to a unique clerk interrupt buffer.
- In PROCEDURE 2, multiple clerks use the same clerk interrupt buffer, and so a single clerk interrupt operation (clerk change during registration) can be performed any registration is in progress. In this case, multiple clerks are linked to a single clerk interrupt buffer.


Note the following important points concerning the clerk interrupt function.

- The register must be programmed to allow use of the clerk interrupt function.
- To use the clerk interrupt function, a clerk interrupt buffer must first be allocated with the memory allocation operation. Next the manager control operation (X1 mode) should be used to perform clerk assignment for the clerk interrupt function. The clerk interrupt operation cannot be performed by clerks who are not linked to a clerk interrupt buffer.
- You cannot use the clerk interrupt function on a register set up to function as part of a check tracking system. In the REG1, REG2, and RF modes, clerks can change while a transaction is in progress, making it possible for multiple clerks to simultaneously perform registrations using a single register. For example, if clerk 1 is interrupted while registering a transaction, clerk 2 can use the same machine to register a different transaction. Then clerk 1 can continue the original registration from the point where it was interrupted.

PROCEDURE 1



PROCEDURE 2



NOTES

- A guest receipt can be issued following clerk change, and receipts can be issued separately for each clerk.
- A cancel operation can be performed during registration by either of the clerks. When clerk 1 signs back on (after being interrupt by clerk 2), the cancel operation cancels only the items registered after signing back on (only this receipt) or from the top of the transaction. This is selectable by the key program.

Single item cash sales

A department key or PLU programmed with single item sale status finalizes the transaction as soon as it is registered.
 The single item sales function cannot work properly if the keyboard does not include <CASH> (the cash key).
 The single item sales function can only be used for cash sales.

Example 1

	OPERATION	RECEIPT																						
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;"></td> <td style="width: 15%;">Dept. 1</td> <td style="width: 15%;">\$1.00</td> </tr> <tr> <td>Item</td> <td>Quantity</td> <td>1</td> </tr> <tr> <td></td> <td>Status</td> <td>S.I.S</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>\$1.00</td> </tr> </table>		Dept. 1	\$1.00	Item	Quantity	1		Status	S.I.S	Payment	Cash	\$1.00	<div style="font-size: 24px; font-weight: bold; margin-bottom: 5px;">1 00 1</div> <p>The transaction is immediately finalized.</p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%;">REG 03-04-2000 13:00</td> <td style="width: 40%;">Mode/date/time</td> </tr> <tr> <td>C01 MC#01 000101</td> <td>Clerk/consecutive No.</td> </tr> <tr> <td>1 DEPT01</td> <td style="text-align: right;">.1.00</td> </tr> <tr> <td>TL</td> <td style="text-align: right;">- 1 .00</td> </tr> <tr> <td>CASH</td> <td style="text-align: right;">.1.00</td> </tr> </table>	REG 03-04-2000 13:00	Mode/date/time	C01 MC#01 000101	Clerk/consecutive No.	1 DEPT01	.1.00	TL	- 1 .00	CASH	.1.00
	Dept. 1	\$1.00																						
Item	Quantity	1																						
	Status	S.I.S																						
Payment	Cash	\$1.00																						
REG 03-04-2000 13:00	Mode/date/time																							
C01 MC#01 000101	Clerk/consecutive No.																							
1 DEPT01	.1.00																							
TL	- 1 .00																							
CASH	.1.00																							

Advanced Operations

Example 2

OPERATION

Item	Dept. 1	(\$1.00)
	Quantity	3
	Status	S.I.S
Payment	Cash	\$3.00

3 DATE TIME
1

The transaction is immediately finalized.

RECEIPT

```
REG 03-04-2000 13:05
C01 MC#01 000102
3 DEPT01      -3.00
TL           -3.00
CASH         -3.00
```

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Example 3

OPERATION

Item 1	Dept. 3	\$2.00
	Quantity	1
	Status	Normal
Item 2	Dept. 1	\$1.00
	Quantity	1
	Status	S.I.S
Payment	Cash	\$3.00

2 00 **3**
1

The transaction is not finalized. Because another item is registered before the single item sales department.

CA/AMT
TEND

RECEIPT

```
REG 03-04-2000 13:10
C01 MC#01 000103
1 DEPT03      -2.00
1 DEPT01      -1.00
TL           -3.00
CASH         -3.00
```

Addition

Addition (plus)

Example

OPERATION

Item 1	Dept. 1	\$1.00
	Quantity	1
	Addition	\$0.10
Item 2	Dept. 1	\$2.00
	Quantity	3
	Addition	3 × (\$0.20)
Payment	Cash	\$7.70

1 00 **1**
1 0 **+**
3 DATE TIME
2 00 **1**
3 DATE TIME
+
CA/AMT
TEND

RECEIPT

```
REG 03-04-2000 13:15
C01 MC#01 000104
1 DEPT01      -1.00
+            -0.10
3 DEPT01      -6.00
+            -0.60
TL           -7.70
CASH         -7.70
```

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Premium (%+)

Example

			OPERATION	RECEIPT
Item 1	Dept. 1	\$1.00	1 00 <input type="checkbox"/>	REG 03-04-2000 13:20 C01 MC#01 000105 1 DEPT01 -1.00 10% %+ -0.10 3 DEPT01 -6.00 ST -7.10 15% %+ -1.07 TL -8.17 CASH -8.17
	Quantity	1	1 0 <input checked="" type="checkbox"/> %+	
	Premium	10%	3 <input checked="" type="checkbox"/> %/DATE TIME	
Item 2	Dept. 1	\$2.00	2 00 <input type="checkbox"/>	
	Quantity	3	<input type="checkbox"/> SUB TOTAL	
Subtotal Premium	(15%)	<input type="checkbox"/> %+		
Payment	Cash	\$8.17	<input type="checkbox"/> CA / AMT TEND	

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Tray total

Tray total premium/discount

The buffer memory stores all items that fall into the prescribed range, starting from the first item registered for a transaction up to the point that <TRAY TOTAL> (the tray total key) is pressed to perform a tray total premium/discount operation. Following a premium/discount operation, the buffer is cleared and storage of new data starts from registration of the next item following the first premium/discount operation. The following operations clear the buffer memory.

- Press <TRAY TOTAL> twice.
- Press <TRAY TOTAL> and then perform a premium/discount operation. The contents of the buffer memory are restored if an error correction operation is performed to delete the premium/discount operation.

Example

OPERATION			RECEIPT			
Group 1	Dept. 1	\$1.00	1	00	1	REG 03-04-2000 13:30 C01 MC#01 000107 1 DEPT01 -1.00 1 DEPT03 -2.00 TRAY TL -3.00 5% %- -0.15 1 DEPT03 -3.00 1 DEPT04 -4.00 TRAY TL -7.00 10% %- -0.70 TL -9.15 CASH -9.15
	Dept. 3	\$2.00	2	00	3	
	Discount	(5%) _{preset}				
Group 2	Dept. 3	\$3.00				
	Dept. 4	\$4.00	3	00	3	
	Discount	10%	4	00	4	
Payment	Cash	\$9.15				

Multiple item totalling function

This function accumulates all items registered from the first item registered up to point that <TRAY TOTAL> is pressed, or all items between two presses of <TRAY TOTAL>. Pressing <TRAY TOTAL> displays the total amount with the tax included and prints it on the receipt and journal (printing on receipt and journal is programmable.)

Example

OPERATION			RECEIPT			
CustomerA	Dept. 1	\$1.00	1	00	1	REG 03-04-2000 13:35 C01 MC#01 000108 1 DEPT01 -1.00 1 DEPT03 -2.00 TRAY TL -3.00 1 DEPT03 -3.00 1 DEPT04 -4.00 TRAY TL -7.00 TL -10.00 CASH -10.00
	Dept. 3	\$2.00	2	00	3	
CustomerB	Dept. 3	\$3.00				
	Dept. 4	\$4.00	3	00	3	
Payment	Cash	\$10.00	4	00	4	

Coupon transactions

Note that errors result when the result of a calculation is negative if the cash register is programmed to prohibit credit balances.

Coupon registration using <COUPON> (coupon key)

Example

			OPERATION	RECEIPT
Item 1	Dept. 1	\$3.00	2 <input type="checkbox"/> DATE TIME 3 00 <input type="checkbox"/> 1 2 <input type="checkbox"/> DATE TIME 5 0 <input type="checkbox"/> CPN 4 00 <input type="checkbox"/> 3 <input type="checkbox"/> CPN <input type="checkbox"/> CA/AMT TEND	REG 03-04-2000 13:40 C01 MC#01 000109 2 DEPT01 -6.00 CPN -1.00 1 DEPT03 -4.00 CPN -1.00 TL -8.00 CASH -8.00
	Quantity	2		
	Coupon	\$0.50 × 2		
Item 2	Dept. 3	\$4.00		
	Quantity	1		
	Coupon	(\$1.00)		
Payment	Cash	\$8.00		

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Coupon registration using <COUPON2> (coupon 2 key)

Example

			OPERATION	RECEIPT
Item 1	Dept. 1	\$15.00	<input type="checkbox"/> CPN2 1 5 00 <input type="checkbox"/> 1 <input type="checkbox"/> CPN2 1 5 0 <input type="checkbox"/> 1 1 0 <input type="checkbox"/> PLU <input type="checkbox"/> CPN2 5 0 <input type="checkbox"/> PLU <input type="checkbox"/> CA/AMT TEND	REG 03-04-2000 13:45 C01 MC#01 000110 1 DEPT01 -15.00 CPN2 1 DEPT01 -1.50 1 PLU0010 -5.00 CPN2 1 PLU0050 -0.50 TL -18.00 CASH -18.00
	Quantity	1		
	Coupon 2 Dept. 1	\$1.50		
Item 2	PLU 10	\$5.00		
	Quantity	1		
	Coupon 2 PLU 50	(\$0.50)		
Payment	Cash	\$18.00		

Registering the second unit price

Second unit prices along with quantity modifiers can be programmed to PLUs. Pressing <PRICE SHIFT> (price shift key) calls up the second unit price, quantity modifier, and descriptor. Totalizers and inventory are adjusted by multiplying the number of items being registered by the quantity modifier programmed to the PLU being registered.

- <PRICE SHIFT> must be pressed before each registration of a PLU.
- Second unit price registration is no available with open PLUs when unit price is not preset.
- Second unit prices and quantity modifiers are assigned to PLUs using programming procedures described in the dealer's manual.
- Even if a PLU is programmed with a package quantity, the second unit price and quantity modifier are applied during registration following operation of <PRICE SHIFT>.

Example 1

OPERATION			RECEIPT		
Item 1	PLU 1 _{2nd@}	(\$10.00)	PRICE SHIFT 1 PLU The operation declares that the next input is a second unit price. PRICE SHIFT 1 0 PLU SUB TOTAL CA/AMT/TEND	<pre> REG 03-04-2000 13:50 C01 MC#01 000111 1 PLU001 -10.00 1 PLU010 -5.00 TL -15.00 CASH -15.00 </pre>	
	Quantity	1			
	Unit Q'ty	1			
Item 2	PLU 2 _{2nd@}	(\$5.00)			
	Quantity	1			
	Unit Q'ty	1			
Payment	Cash	\$15.00			





Example 2

OPERATION			RECEIPT		
Item	PLU 2 _{2nd@}	(\$10.00)	PRICE SHIFT 5 <input checked="" type="checkbox"/> DATE TIME PRICE SHIFT 2 PLU 5 0 00 CA/AMT/TEND	<pre> REG 03-04-2000 13:55 C01 MC#01 000112 5 PLU001 -50.00 TL -50.00 CASH -50.00 CG -0.00 </pre>	
	Quantity	5			
	2nd Q'ty	3			
Payment	Cash	\$50.00			

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Example 3


The procedure shown above are for when the cash register is programmed not to maintain a second unit price shift. It is programmed is performed to maintain a second unit price shift, the following procedure applies.

	OPERATION	RECEIPT																								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="3">Item 1</td> <td>PLU 1_{2nd@}</td> <td>(\$10.00)</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Unit Q'ty</td> <td>1</td> </tr> <tr> <td rowspan="3">Item 2</td> <td>PLU 2_{2nd@}</td> <td>(\$5.00)</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Unit Q'ty</td> <td>1</td> </tr> <tr> <td rowspan="3">Item 3</td> <td>PLU 1</td> <td>(\$1.00)</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Unit Q'ty</td> <td>1</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>\$16.00</td> </tr> </table>	Item 1	PLU 1 _{2nd@}	(\$10.00)	Quantity	1	Unit Q'ty	1	Item 2	PLU 2 _{2nd@}	(\$5.00)	Quantity	1	Unit Q'ty	1	Item 3	PLU 1	(\$1.00)	Quantity	1	Unit Q'ty	1	Payment	Cash	\$16.00	<div style="text-align: center;">  </div> <p>This operation shifts to registration of second unit price.</p> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <p>This operation shifts back to registration of normal (first) unit price.</p> <div style="text-align: center;">  </div>	<pre style="font-family: monospace; border: 1px solid black; padding: 5px;"> REG 03-04-2000 14:00 C01 MC#01 000113 1 PLU001 -10.00 1 PLU002 -5.00 1 PLU001 -1.00 TL -16.00 CASH -16.00 CG -0.00 </pre>
Item 1		PLU 1 _{2nd@}	(\$10.00)																							
		Quantity	1																							
	Unit Q'ty	1																								
Item 2	PLU 2 _{2nd@}	(\$5.00)																								
	Quantity	1																								
	Unit Q'ty	1																								
Item 3	PLU 1	(\$1.00)																								
	Quantity	1																								
	Unit Q'ty	1																								
Payment	Cash	\$16.00																								






Preset tender amount

An amount up to six digits long can be programmed to <CASH> (cash/amount tendered key). Then, when <CASH> is pressed without inputting a value, the programmed value is automatically registered and the transaction is finalized. When an amount is programmed to <CASH>, attempting to manually input an amount results in an error.

Example 1

	OPERATION	RECEIPT								
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2">Item</td> <td>Dept. 1</td> <td>\$8.00</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>(\$10.00)</td> </tr> </table>	Item	Dept. 1	\$8.00	Quantity	1	Payment	Cash	(\$10.00)	<div style="text-align: center;">  </div> <p>The preset amount is tendered.</p>	<pre style="font-family: monospace; border: 1px solid black; padding: 5px;"> REG 03-04-2000 14:05 C01 MC#01 000114 1 DEPT01 -8.00 TL -8.00 CASH -10.00 CG -2.00 </pre>
Item		Dept. 1	\$8.00							
	Quantity	1								
Payment	Cash	(\$10.00)								

Example 2

	OPERATION	RECEIPT										
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2">Item</td> <td>Dept. 1</td> <td>\$15.00</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td rowspan="2">Payment</td> <td>Cash</td> <td>(\$10.00)</td> </tr> <tr> <td>Check</td> <td>\$5.00</td> </tr> </table>	Item	Dept. 1	\$15.00	Quantity	1	Payment	Cash	(\$10.00)	Check	\$5.00	<div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <p>An error occurs by manual input</p> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div>	<pre style="font-family: monospace; border: 1px solid black; padding: 5px;"> REG 03-04-2000 14:10 C01 MC#01 000115 1 DEPT01 -15.00 TL -15.00 CHECK -5.00 CASH -10.00 CG -0.00 </pre>
Item		Dept. 1	\$15.00									
	Quantity	1										
Payment	Cash	(\$10.00)										
	Check	\$5.00										

Bottle link operation

You can link PLU to a PLU.

Example

OPERATION			RECEIPT		
Item 1	PLU 1	(\$8.00)	1	PLU	REG 03-04-2000 14:15 C01 MC#01 000116 1 PLU0001 +8.00 1 PLU0011 +0.80 3 PLU0002 +15.00 3 PLU0012 +1.50 TL -25.30 CASH +30.00 CG +4.70
	PLU 11 _{linked}	(\$0.80)	3	%DATE TIME	
	Quantity	1	2	PLU	
Item 2	PLU 2	(\$5.00)	3	0	
	PLU 12 _{linked}	(\$0.50)	00	CA/AMT TEND	
	Quantity	3			
Payment	Cash	\$30.00			

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Bottle returns

Bottle return key

You can use the linked bottle return key to register a bottle return. A PLU whose programmed unit price represents the contents of the bottle, can be linked with PLU whose programmed unit price represents the deposit on the bottle. In the following example, the bottle return key has been programmed to operate as a linked bottle return key.

The bottle return key must be pressed before input of each new linked bottle return.

Example

OPERATION			RECEIPT		
Return Item 1	PLU 1	(\$8.00)	BR	1	REG 03-04-2000 14:20 C01 MC#01 000117 BR 1 PLU0011 -0.80 BR 3 PLU0012 -1.50 TL -2.30 CASH -2.30
	PLU 11 _{linked}	(\$0.80)	3	%DATE TIME	
	Quantity	1	BR	2	
Return Item 2	PLU 2	(\$5.00)		CA/AMT TEND	
	PLU 12 _{linked}	(\$0.50)			
	Quantity	3			
Payment	Cash	\$2.30			

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Arrangement key registrations

Key operations can be assigned to an <ARRANGE> (arrangement key). Then, simply pressing <ARRANGE> performs all of the key functions assigned to it.

Key operations can also be assigned to an address code. Then, when you input the address code using <ARRANGE>, all of the key functions assigned to the address code are performed.

Example 1

OPERATION			RECEIPT																
<table border="1"> <thead> <tr> <th colspan="3">Arrangement 1</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Item 1</td> <td>PLU 1</td> <td>(\$8.00)</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td rowspan="2">Item 2</td> <td>PLU 2</td> <td>(\$5.00)</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>\$13.00</td> </tr> </tbody> </table>			Arrangement 1			Item 1	PLU 1	(\$8.00)	Quantity	1	Item 2	PLU 2	(\$5.00)	Quantity	1	Payment	Cash	\$13.00	<div style="border: 1px solid black; padding: 5px; display: inline-block;">ARR</div> <pre> REG 03-04-2000 14:25 C01 MC#01 000118 1 PLU0001 -8.00 1 PLU0002 -5.00 TL -13.00 CASH -13.00 </pre>
Arrangement 1																			
Item 1	PLU 1	(\$8.00)																	
	Quantity	1																	
Item 2	PLU 2	(\$5.00)																	
	Quantity	1																	
Payment	Cash	\$13.00																	

Example 2

OPERATION			RECEIPT																
<table border="1"> <thead> <tr> <th colspan="3">Arrangement 5</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Item 1</td> <td>Dept 1</td> <td>\$1.00</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td rowspan="2">Item 2</td> <td>Dept 2</td> <td>\$2.00</td> </tr> <tr> <td>Quantity</td> <td>1</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>\$3.00</td> </tr> </tbody> </table>			Arrangement 5			Item 1	Dept 1	\$1.00	Quantity	1	Item 2	Dept 2	\$2.00	Quantity	1	Payment	Cash	\$3.00	<div style="display: inline-block; border: 1px solid black; padding: 2px;">5</div> <div style="display: inline-block; border: 1px solid black; padding: 2px; margin-left: 5px;">ARR</div> <pre> REG 03-04-2000 14:30 C01 MC#01 000119 1 DEPT01 -1.00 1 DEPT02 -2.00 TL -3.00 CASH -3.00 </pre>
Arrangement 5																			
Item 1	Dept 1	\$1.00																	
	Quantity	1																	
Item 2	Dept 2	\$2.00																	
	Quantity	1																	
Payment	Cash	\$3.00																	

Set menu

When you register a set menu, its total amount is added to the PLU totalizer and counter. The price of each set menu item is also added to each respective PLU totalizer and counter.

Example

OPERATION			RECEIPT																		
<table border="1"> <thead> <tr> <th>Set menu</th> <th>PLU 35</th> <th>\$5.00</th> </tr> </thead> <tbody> <tr> <td>Item 1</td> <td>PLU 1</td> <td>--</td> </tr> <tr> <td>Item 2</td> <td>PLU 2</td> <td>--</td> </tr> <tr> <td>Item 3</td> <td>PLU 3</td> <td>--</td> </tr> <tr> <td>Item 4</td> <td>PLU 4</td> <td>--</td> </tr> <tr> <td>Payment</td> <td>Cash</td> <td>\$5.00</td> </tr> </tbody> </table>			Set menu	PLU 35	\$5.00	Item 1	PLU 1	--	Item 2	PLU 2	--	Item 3	PLU 3	--	Item 4	PLU 4	--	Payment	Cash	\$5.00	<div style="display: inline-block; border: 1px solid black; padding: 2px;">3</div> <div style="display: inline-block; border: 1px solid black; padding: 2px; margin-left: 5px;">5</div> <div style="display: inline-block; border: 1px solid black; padding: 2px; margin-left: 5px;">PLU</div> <div style="border: 1px solid black; padding: 2px; margin-left: 5px; font-size: 8px;">CA/AMT /TEND</div> <pre> REG 03-04-2000 14:35 C01 MC#01 000120 1 PLU0035 -5.00 PLU0001 PLU0002 PLU0003 PLU0004 TL -5.00 CASH -5.00 </pre>
Set menu	PLU 35	\$5.00																			
Item 1	PLU 1	--																			
Item 2	PLU 2	--																			
Item 3	PLU 3	--																			
Item 4	PLU 4	--																			
Payment	Cash	\$5.00																			

Currency exchange function

When <CE> (currency exchange key) is pressed, a current subtotal including tax is converted directly into foreign currency and the result is displayed, and the subsequent finalization is handled using the foreign currency. The currency exchange function is released by finalizing a transaction, partial tender operation, receipt issuance, or by pressing <SUBTOTAL>.



Before using the currency exchange function, it is necessary to program the conversion rate.










Registering foreign currency

Full amount tender in foreign currency

* Pre-programmed exchange rate: ¥ 100 = \$0.9524

Important!

Tenders in a foreign currency can be registered using the  and  only. Other finalize keys cannot be used.







OPERATION	DISPLAY	RECEIPT
<p>1 0 00  ← Enter the unit price and press the applicable department key.</p>	<p>10.00 (Displays in \$)</p>	<pre> REG 03-04-2000 14:40 C01 MC#01 000121 1 DEPT01 -10.00 2 DEPT02 -20.00 TL -30.00 CE CASH ¥5,000 CASH -47.62 CG -17.62 </pre>
<p>2 0 00  ← Enter the next unit price and press the applicable department key.</p>	<p>20.00 (Displays in \$)</p>	
<p>  ← Press  and  without entering a numeric value. This operation converts the subtotal (including tax) dollar value into yen by applying a pre-programmed exchange rate. The result is shown on the display and printed on the receipt/journal by programming.</p>	<p>3.150 (Displays in ¥: 3,150)</p>	
<p>5 0 00  ← Enter the amount tendered in yen and press . This operation converts the entered yen amount into dollars by applying a pre-programmed exchange rate. The result is shown on the display.</p> <p>(5,000)</p>	<p>5.000</p>	
<p> ← Press to finalize the transaction. Note that you do not need to reenter the dollar amount. The register automatically calculates the change amount due in dollars and shows it on the display, receipts and journal.</p>	<p>17.62 (Displays in \$)</p>	

Partial tender in a foreign currency

* Pre-programmed exchange rate: ¥ 100 = \$0.9524

Important!

Partial tender in a foreign currency can be registered using **CA/AMT/TEND** and **CHK/TEND** only. Other finalization keys cannot be used, but the remaining tender can be finalized using any finalize key.

OPERATION	DISPLAY	RECEIPT
1 0 00 1 ← Enter the unit price and press the applicable department key.	 (Displays in \$)	<div style="border: 1px solid black; padding: 5px;"> REG 03-04-2000 14:45 C01 MC#01 000122 1 DEPT01 -10.00 1 DEPT02 -20.00 TL -30.00 CE CASH ¥2,000 CASH -19.05 CHK -10.95 </div>
2 0 00 2 ← Enter the next unit price and press the applicable department key.	 (Displays in \$)	
CE SUB TOTAL ← Press CE and SUB TOTAL without entering a numeric value. This operation converts the subtotal (including tax) dollar value into yen by applying a pre-programmed exchange rate. The result is shown on the display and printed on the receipt/journal by programming.	 (Displays in ¥: 3,150)	
2 0 00 CE (2,000) ← Enter the partial amount tendered in yen and press CE . This operation converts the entered yen amount into dollars by applying a pre-programmed exchange rate. The result is shown on the display.	 (Displays in \$)	
CA/AMT/TEND ← Press CA/AMT/TEND to specify cash tender for the yen partial tender. Note that you do not need to reenter the dollar amount. The register automatically deducts the dollar equivalent of the yen amount tendered from the total amount due and shows the amount on the display.	 (Displays in \$)	
CHK/TEND ← Press to finalize the transaction.	 (Displays in \$)	

Food stamp function

Food stamp registration

No change due



OPERATION

Item 1	Dept. 1	\$1.00
	Taxable	1, F/S
Item 2	Dept. 2	\$2.00
	Taxable	2
Item 3	Dept. 3	\$3.00
	Taxable	No → F/S
Payment	Food stamp	\$2.00
	Cash	\$4.14

1 00 1
2 00 2
F/S 3 00 3
 Shifting food stamp status, press F/S key.
FS/ST
 Press FS/ST, at the top of the food stamp tender.
2 00 FS/ST
CA/AMT/TEND

RECEIPT

REG	03-04-2000	14:50	
C01	MC#01	000123	
1 DEPT01	T1 F	\$1.00	
1 DEPT02	T2	\$2.00	
1 DEPT03	F	\$3.00	
TA1		\$1.00	
TX1		\$0.04	
TA2		\$2.00	
TX2		\$0.10	
TL		\$6.14	Subtotal
FSST		\$4.04	Food stamp subtotal
FSTD		\$2.00	Food stamp tendered
CASH		\$4.14	

Mixed food stamp/cash change

Example 1

OPERATION			RECEIPT		
Item 1	Dept. 1	\$1.00	1 00	1	REG 03-04-2000 14:55 C01 MC#01 000124 1 DEPT01 T1 F \$1.00 1 DEPT02 T2 F \$2.00 1 DEPT03 F \$3.00 TA1 \$1.00 TX1 \$0.04 TA2 \$2.00 TX2 \$0.10 TL \$6.14 — Subtotal FSST \$6.14 — Food stamp subtotal FSTD \$7.00 — Food stamp tendered CG \$0.86 — Cash change
	Taxable	1, F/S	F/S 2 00	2	
Item 2	Dept. 2	\$2.00	F/S 3 00	3	
	Taxable	2, F/S		FS/ST	
Item 3	Dept. 3	\$3.00	7 00	FS/ST	
	Taxable	F/S		FS/ST	
Payment	Food stamp	\$7.00			

The change in food stamp transactions is automatically calculated as cash for amounts of \$1.00 or less, and as food stamps for amounts greater than \$1.00.

Example 2

OPERATION			RECEIPT		
Item	Dept. 1	\$2.00	2 00	1	REG 03-04-2000 15:00 C01 MC#01 000125 1 DEPT01 T1 F \$2.00 TA1 \$2.00 TX1 \$0.08 TL \$2.08 FSST \$2.08 FSTD \$5.00 FSCG \$2.00 CG \$0.92
	Taxable	1, F/S		FS/ST	
Payment	Food stamp	\$5.00	5 00	FS/ST	

In the above example, the total amount of change due is \$2.92; \$2.00 in food stamps and \$0.92 in cash.

Advanced Operations

Mixed food stamp/cash change (continued...)

Example 3

			OPERATION	RECEIPT
Item 1	Dept. 1	\$2.00	2 00 1	<pre> REG 03-04-2000 15:05 C01 MC#01 000126 1 DEPT01 T1 F \$1.00 1 DEPT04 \$0.50 TA1 \$2.00 TX1 \$0.08 TL \$2.58 FSST \$2.08 FSTD \$5.00 FSCG \$2.00 CG \$0.42 </pre>
	Taxable	1, F/S	5 0 4	
Item 2	Dept. 4	\$0.50	FS/ST	
	Taxable	No	5 00 FS/TD	
Payment	Food stamp	\$5.00		

When food stamp items are included in a transaction, the amount of change due in cash is applied as a cash amount tendered for cash (nonfood stamp) items. In this example, the \$0.50 purchased (department 4) is automatically deducted from the \$0.92 cash due in change from the food stamp purchase (department 4).

Example 4

			OPERATION	RECEIPT
Item 1	Dept. 1	\$1.00	1 00 1	<pre> REG 03-04-2000 15:10 C01 MC#01 000127 1 DEPT01 T1 F \$1.00 1 DEPT02 T2 \$2.00 1 DEPT03 \$3.00 TA1 \$1.00 TX1 \$0.04 TA2 \$2.00 TX2 \$0.10 TL \$6.14 FSST \$1.04 FSTD \$5.00 FSCG \$3.00 CASH \$4.14 </pre>
	Taxable	1, F/S	2 00 2	
Item 2	Dept. 2	\$2.00	3 00 3	
	Taxable	2	FS/ST	
Item 3	Dept. 3	\$3.00	5 00 FS/TD	
	Taxable	No	CA/AMT/TEND	
Payment	Food stamp	\$5.00		
	Cash	\$4.14		

The following calculation is performed internally to apply the cash change due on the food stamp transaction to the balance due of the cash transaction.

	Food stamp transaction	Cash transaction
Price items:	\$1.00	\$5.00
Tax:	\$0.04	\$0.10
Total due:	\$1.04	\$5.10
Amount tendered:	\$5.00 (food stamp)	\$4.14 (cash), \$0.96 (change from food stamp)
Amount due:	\$1.04	
Change amount due:	\$3.00 (food stamp), \$0.96 (cash)	
Total:		\$5.10

Food stamp registration (Illinois rule)

No change due

Example 1

			OPERATION	RECEIPT
Item 1	Dept. 1	\$1.00	1 00 1	REG 03-04-2000 15:15 C01 MC#01 000128 1 DEPT01 T1 F \$1.00 1 DEPT01 T1 F \$2.00 DEPT04 F \$3.00 TL \$6.00 FSST \$6.00 FSTD \$6.00
	Taxable	1, F/S	2 00 1	
Item 2	Dept. 1	\$2.00	3 00 4	
	Taxable	1, F/S	FS/ST	
Item 3	Dept. 4	\$3.00	6 00 FS/ST	
	Taxable	F/S		
Payment	Food stamp	\$6.00		

Example 2

			OPERATION	RECEIPT
Item 1	Dept. 1	\$2.00	2 00 1	REG 03-04-2000 15:20 C01 MC#01 000129 1 DEPT01 T1 F \$2.00 1 DEPT01 T1 F \$3.00 1 DEPT04 F \$4.00 FSST \$9.00 FSTD \$5.00 TA1 \$4.00 TX1 \$0.16 CASH \$4.16
	Taxable	1, F/S	3 00 1	
Item 2	Dept. 1	\$3.00	4 00 4	
	Taxable	1, F/S	FS/ST	
Item 3	Dept. 4	\$4.00	5 00 FS/ST	
	Taxable	1, F/S		
Payment	Food stamp	\$5.00	CA/AMT/TEND	
	Cash	\$4.16		

Advanced Operations

No change due (continued...)

Example 3

OPERATION			RECEIPT	
Item 1	Dept. 1	\$2.00	2 00 1	REG 03-04-2000 15:25 C01 MC#01 000130 1 DEPT01 T1 F \$2.00 1 DEPT02 T2 F \$3.00 FSST \$5.00 FSTD \$1.00 TA1 \$1.00 TX1 \$0.04 TA2 \$2.00 TX2 \$0.10 CASH \$4.14
	Taxable	1, F/S	3 00 2	
Item 2	Dept. 2	\$3.00	FS/ST	
	Taxable	2, F/S	1 00 FS/TD	
Payment	Food stamp	\$1.00	CA/AMT/TEND	
	Cash	\$4.14		

If the total of the food stamps tendered is less than the food stamp total, the food stamp tendered amount is deducted from the taxable 1 and 2 amount.

Example 4

OPERATION			RECEIPT	
Item 1	Dept. 1	\$1.00	1 00 1	REG 03-04-2000 15:30 C01 MC#01 000131 1 DEPT01 T1 F \$1.00 1 DEPT02 T2 F \$5.00 FSST \$6.00 FSTD \$4.00 TA2 \$1.00 TX2 \$0.05 CASH \$2.05
	Taxable	1, F/S	5 00 2	
Item 2	Dept. 2	\$5.00	FS/ST	
	Taxable	2, F/S	4 00 FS/TD	
Payment	Food stamp	\$4.00	CA/AMT/TEND	
	Cash	\$2.05		

In this example, the result of the taxable 1 is "0".

Mixed food stamp/cash change

Example 1

			OPERATION	RECEIPT
Item 1	Dept. 1	\$1.50	1 5 0 <input type="checkbox"/> 1	<pre> REG 03-04-2000 15:35 C01 MC#01 000132 1 DEPT01 T1 F \$1.50 1 DEPT01 T1 F \$2.00 1 DEPT04 F \$3.00 TL \$6.50 FSST \$6.50 FSTD \$10.00 FSCG \$3.00 CG \$0.50 </pre>
	Taxable	1, F/S	2 00 <input type="checkbox"/> 1	
Item 2	Dept. 1	\$2.00	3 00 <input type="checkbox"/> 4	
	Taxable	1, F/S	<input type="checkbox"/> FS/ST	
Item 3	Dept. 4	\$3.00	1 0 00 <input type="checkbox"/> FS/ST	
	Taxable	F/S		
Payment	Food stamp	\$10.00		

The change in food stamp transactions is automatically calculated as cash for amount of \$1.00 or less, and as food stamps for amounts greater than \$1.00. In the above example, the total amount of change due is \$3.50 (\$3.00 in food stamps and \$0.50 in cash).

Example 2

			OPERATION	RECEIPT
Item	Dept. 1	\$2.00	2 00 <input type="checkbox"/> 1	<pre> REG 03-04-2000 15:40 C01 MC#01 000133 1 DEPT01 T1 F \$2.00 TL \$2.00 FSST \$2.00 FSTD \$5.00 FSCG \$3.00 </pre>
	Taxable	1, F/S	<input type="checkbox"/> FS/ST	
Payment	Food stamp	\$5.00	5 00 <input type="checkbox"/> FS/ST	

Advanced Operations

Mixed food stamp/cash change (continued...)

Example 3

			OPERATION	RECEIPT
Item 1	Dept. 1	\$2.00	2 00 <input type="checkbox"/>	REG 03-04-2000 15:45 C01 MC#01 000134 1 DEPT01 T1 F \$2.00 1 DEPT01 T1 F \$1.20 1 DEPT03 T1 \$0.30 TA1 \$0.30 TX1 \$0.01 TL \$3.51 FSST \$3.20 FSTD \$5.00 FSCG \$1.00 CG \$0.49
	Taxable	1, F/S	1 2 0 <input type="checkbox"/>	
Item 2	Dept. 1	\$1.20	3 0 <input type="checkbox"/>	
	Taxable	1, F/S	<input type="checkbox"/> FS/ST	
Item 3	Dept. 3	\$0.30	5 00 <input type="checkbox"/>	
	Taxable	1		
Payment	Food stamp	\$5.00		

When food stamp items are included in a transaction, the amount of change due in cash is applied as a cash amount tendered for cash (nonfood stamp) items. In this example, the \$0.30 purchase is automatically deducted from the \$0.80 cash due in change from the food stamp purchase.

Example 4

			OPERATION	RECEIPT
Item 1	Dept. 1	\$1.00	1 00 <input type="checkbox"/>	REG 03-04-2000 15:50 C01 MC#01 000135 1 DEPT01 T1 F \$1.00 1 DEPT01 T1 F \$2.50 1 DEPT03 \$5.00 FSST \$3.50 FSTD \$5.00 FSCG \$1.00 CASH \$4.50
	Taxable	1, F/S	2 5 0 <input type="checkbox"/>	
Item 2	Dept. 1	\$2.50	5 00 <input type="checkbox"/>	
	Taxable	1, F/S	<input type="checkbox"/> FS/ST	
Item 3	Dept. 3	\$5.00	5 00 <input type="checkbox"/>	
	Taxable	No		
Payment	Food stamp	\$5.00	<input type="checkbox"/> CA/AMT/TEND	
	Cash	\$4.50		

The following calculation is performed internally to apply the cash change due on the food stamp transaction to the balance due of the cash transaction.

	Food stamp transaction	Cash transaction
Price items:	\$3.50	\$5.00
Tax:	\$0.00	\$0.00
Total due:	\$3.50	\$5.00
Amount tendered:	\$5.00 (food stamp)	\$4.50 (cash), \$0.50 (change from food stamp)
Amount due:	\$3.50	
Change amount due:	\$1.00 (food stamp), \$0.50 (cash)	
Total:		\$5.00

Mixed food stamp/cash change (continued...)

Food stamp + Taxable 1 + Taxable 2

When food stamps are received as partial tender for items preset with the status “food stamp”, “taxable 1”, and “taxable 2”, the calculation are performed using one of the two cases described in this section. The case used depends on the food stamp amount received as partial tender.

Case 1

This case is used when the total amount of the items preset with the status “food stamp”, “taxable 1”, and “taxable 2” is greater than or equal to the food stamp amount received as partial tender. Case 1 subtracts the food stamp amount tendered from both the taxable 1 amount and taxable 2 amount.

Example 5

			OPERATION	RECEIPT
Item 1	Dept. 1	\$2.00	2 00 1	<pre> REG 03-04-2000 15:55 C01 MC#01 000136 1 DEPT01 T1 F \$2.00 1 DEPT02 T2 F \$3.00 1 DEPT01 T12F \$2.00 FSST \$7.00 FSTD \$2.00 TA1 \$2.00 TX1 \$0.08 TA2 \$3.00 TX2 \$0.15 CASH \$5.23 </pre>
	Taxable	1, F/S	3 00 2	
Item 2	Dept. 2	\$3.00	T/S2 2 00 1	
	Taxable	2, F/S	FS/ST	
Item 3	Dept. 1	\$2.00	2 00 FS/ST	
	Taxable	1/2, F/S		
Payment	Food stamp	\$2.00	CA/AMT/TEND	
	Cash	\$5.23		

In this example, the food stamp received as partial tender is \$2.00, so that amount is deducted from both the taxable 1 amount and taxable 2 amount. This means that the remaining taxable 1 amount is \$2.00, while the remaining taxable 2 amount is \$3.00.

Advanced Operations

Mixed food stamp/cash change (continued...)

Case 2

This case is used when the total amount of the items preset with the status “food stamp”, “taxable 1”, and “taxable 2” is less than or equal to the food stamp amount received as partial tender.

Example 6

			OPERATION	RECEIPT
Item 1	Dept. 1	\$2.00	2 00 1	<div style="border: 1px solid black; padding: 5px;"> REG 03-04-2000 16:00 C01 MC#01 000137 1 DEPT01 T1 F \$2.00 1 DEPT02 T2 F \$3.00 1 DEPT01 T12F \$2.00 FSST \$7.00 FSTD \$4.00 TA2 \$1.00 TX2 \$0.05 CASH \$3.05 </div>
	Taxable	1, F/S	3 00 2	
Item 2	Dept. 2	\$3.00	T/S2 2 00 1	
	Taxable	2, F/S	FS/ST	
Item 3	Dept. 1	\$2.00	4 00 FS/TD	
	Taxable	1/2, F/S		
Payment	Food stamp	\$4.00	CA/AMT /TEND	
	Cash	\$3.05		

Electronic benefits transfer

In addition to standard food stamp tender finalizations, this model also allows finalization for tenders electronic benefits transfer (EBT) card.

EBT tenders can be accepted for New Jersey rule or Illinois rule food stamp tenders, as well as for food stamp tenders that do not follow these rules.

About mixed EBT card tenders

When the register is programmed to prohibit an EBT amount tendered that exceeds the food stamp subtotal, nonfood stamp items cannot be paid for using an EBT card. In this case, the following applies:

- $ST - (EBT/TEND - FS/ST) = \text{Balance due}$ (the remaining balance due must be finalized using another finalize key.)

When the register is programmed to allow an EBT amount tendered that exceeds the food stamp subtotal, nonfood stamp items can be paid for using an EBT card. In this case, there are two possible situations:

- $ST > EBT/TEND$
 $ST - (EBT/TEND - FS/ST) = \text{Balance due}$ (the remaining balance due must be finalized using another finalize key.)
- $EBT/TEND > \text{or} = ST$
 $EBT/TEND - ST = \text{cash change}$

No change due

Example 1

OPERATION				RECEIPT
Item 1	Dept. 1	\$1.00	1 00 1	REG 03-04-2000 16:05 C01 MC#01 000138 1 DEPT01 T1 F \$1.00 1 DEPT02 T2 F \$2.00 1 DEPT03 F \$2.00 TL \$6.00 FSST \$6.00 EBTTD \$6.00
	Taxable	1, F/S	2 00 2	
Item 2	Dept. 2	\$2.00	3 00 3	
	Taxable	2, F/S	FS/ST	
Item 3	Dept. 3	\$3.00	6 00 EBT	
	Taxable	F/S		
Payment	EBT	\$6.00		

Advanced Operations

Example 2

OPERATION

RECEIPT

Item 1	Dept. 1	\$1.00
	Taxable	1, F/S
Item 2	Dept. 2	\$2.00
	Taxable	1, F/S
Item 3	Dept. 3	\$3.00
	Taxable	1
Payment	EBT	\$5.00
	Cash	\$1.12

1 00 **1**
2 00 **2**
3 00 **3**
 FS/ST
5 00 **EBT**
 CA/AMT
 /TEND

```

REG 03-04-2000 16:10
C01 MC#01 000139

1 DEPT01 T1 F $1.00
1 DEPT02 T1 F $2.00
1 DEPT03 T1 $3.00
FSST $3.00
EBTTD $5.00
TA1 $3.00
TX1 $0.12
CASH $1.12
  
```

Change due

OPERATION

RECEIPT

Item 1	Dept. 1	\$1.00
	Taxable	1, F/S
Item 2	Dept. 2	\$1.20
	Taxable	1, F/S
Item 3	Dept. 3	\$0.30
	Taxable	1
Payment	EBT	\$5.00

1 00 **1**
1 2 0 **2**
3 0 **3**
 FS/ST
5 00 **EBT**

```

REG 03-04-2000 16:15
C01 MC#01 000140

1 DEPT01 T1 F $1.00
1 DEPT02 T1 F $1.20
1 DEPT03 T1 $0.30
TA1 $0.30
TX1 $0.01
TL $2.51
FSST $2.20
EBTTD $5.00
CG $2.49
  
```

Tips

Example

OPERATION

RECEIPT

Item 1	Unit price	\$3.00
	Dept.	1
Item 2	Unit price	\$5.00
	Dept.	2
Tip	Amount	\$0.80
Payment	Cash	\$10.00

3 00 **1**
5 00 **2**
 SUB
 TOTAL
8 0 **TIP**
1 0 00 **CA/AMT**
TEND

```

REG 03-04-2000 16:20
C01 MC#01 000141

1 DEPT01 -3.00
1 DEPT02 -5.00
TIP -0.80
ST $8.80
CASH $10.00
CG $1.20
  
```

Inputting the number of customers

Example 1

OPERATION			RECEIPT		
Item 1	Unit price	\$15.00	2	CST	REG 03-04-2000 16:25
	Dept.	1	1	5	C01 MC#01 000142
			00	1	
Item 2	Unit price	\$5.00	5	00	CT 2
	Dept.	2			1 DEPT01 -15.00
					1 DEPT02 -5.00
Customer	Number	2			TL -20.00
					CASH -20.00
Payment	Cash	\$20.00			

Example 2

You can only use the following operation to re-input the number of customers when <CUSTOMER> (customer number key) is preset to allow re-input. When programming prohibits re-input of the number of customers, this operation causes an error.

OPERATION			RECEIPT		
			3	CST	REG 03-04-2000 16:30
			1	5	C01 MC#01 000143
			00	1	
			5	00	CT 3
					1 DEPT01 -15.00
			2	CST	1 DEPT02 -5.00
					CT 2
					TL -20.00
			2	0	CASH -20.00
			00		

You can re-input the number of customers either immediately after the initial input or during later registration.

Example 3

You can use the following operation to add customers to an original number of customers input (when addition to the number of the customer is allowed).

OPERATION			RECEIPT		
			3	CST	REG 03-04-2000 16:35
			1	5	C01 MC#01 000144
			00	1	
			5	00	CT 3
					1 DEPT01 -15.00
			2	CST	1 DEPT02 -5.00
					CT 5
					TL -20.00
			2	0	CASH -20.00
			00		

Advanced Operations

Text recall

This procedure is used to recall text by inputting the address where the text is stored. The recalled text is printed on the receipt and journal.

Example

OPERATION			RECEIPT				
Item 1	Unit price	\$46.00	4	6	00	1	REG 03-04-2000 16:40 C01 MC#01 000145 CT 3 1 DEPT01 -46.00 MEDIUM SIZE 1 DEPT02 -10.00 SMALL SIZE TL -56.00 CASH -56.00
	Dept.	1				1	
Item 2	Unit price	\$10.00	1	0	00	2	
	Dept.	2				2	
Payment	Cash	\$56.00					
Text 1	MEDIUM SIZE						
Text 2	SMALL SIZE						

Temporarily releasing compulsion

<OPEN 2> (open 2 key) can be programmed to release specific compulsion.

Example 1

OPERATION			RECEIPT				
Item	Unit price	\$10.00	1	0	00	1	REG 03-04-2000 16:45 C01 MC#01 000146 1 DEPT01 -10.00 TL -10.00 CHECK -10.00
	Dept.	1	1	0	00	CHK/TEND	
Payment	Check	\$10.00					
Validation compulsory			2	00	2		

Validation compulsory

Validation compulsory is temporarily released.

OPEN 2

Example 2

OPERATION			RECEIPT				
Input customer No. compulsory			1	0	00	1	REG 03-04-2000 16:50 C01 MC#01 000147 1 DEPT01 -10.00 TL -10.00 CHECK -10.00
Item	Unit price	\$10.00					
	Dept.	1					
Payment	Check	\$10.00					

Input customer No. compulsory

Compulsory is temporarily released.

OPEN 2

Printing slip

To perform batch printing on the slip printer, you must first use the memory allocation operation (see program 5 mode in the dealer's manual) to reserve slip buffer memory. The capacity of the slip buffer memory is determined by the number of units of slip buffer memory reserved by the memory allocation operation.

The register can be programmed to check the status of the registration buffer memory whenever slip batch printing is performed, and sound an alarm when the buffer memory is almost full. The alarm sounds when there are 12 lines or less remaining, and once it starts to sound, the only operation you can perform is the cancel operation or operations using one of the following keys.

- <CA/AMT TEND> (cash/amount tendered key) operation
- <CH> (charge key) operation
- <CHK/TEND> (check tendered key) operation
- <DEPOSIT> (deposit key) operation
- <NEW BALANCE> (new balance key) operation
- <SUBTOTAL> (subtotal key) operation

You must perform one of above operations when the registration buffer alarm sounds. Any other operations results in an error.

Printing slips

The cash register can be connected to the optional SP-1300 slip printer, which features an automatic feed function and automatic back feed function.

• Automatic feed function

This function makes it possible to program the number of line feeds that should be inserted from the normal print start position before starting slip printing of a new slip. Even if line feeds are programmed for this function, they are not inserted for validation printing, check endorsement printing, and check printing performed using the slip printer. Note also that line feeds are not inserted automatically at the beginning of a second slip when the transaction requires printing that extends from one slip to another.

• Automatic back feed function

This function performs automatic back feed following slip printing, validation printing, and endorsement printing on the slip printer. The slip paper is released once the back feed operation is complete.

• Manual feed function

<SLIP FEED/RELEASE> (slip feed/release key: assigned to the register's keyboard using the program 4 mode) can be used for manual feed of the slip paper. You perform manual feed by inputting a value for the number of lines (up to two digits in the range of 1 to 99) and then press <SLIP FEED/RELEASE>.

• Manual back feed function


<SLIP BACK FEED/RELEASE> (slip back feed/release key: assigned to the register's keyboard using the program 4 mode) can be used for manual back feed of the slip paper. Manual back feed can be performed by inputting a value for the number of lines (up to two digits in the range of 1 to 99) and then press <SLIP BACK FEED/RELEASE>.

You can print slips using automatic or manual batch printing. The slip print operation can be performed in REG1, REG2, and RF modes only.


Finalizing a registration without inserting a slip paper into the slip printer when the register is programmed as "slip paper insertion into slip printer compulsory before finalizing registration" produces an error.

Advanced Operations

To perform auto batch printing 1



To perform auto batch printing 2



About the maximum number of slip lines

You can program the maximum number of lines that can be printed on a slip. Once you do, any attempt to exceed the preset maximum results in an error. When such an error occurs, press <C>, change slip paper and press <SLIP PRINT> to restart printing.

Check tracking systems

Check tracking system

With the check tracking system, the amount, check number, number of slip print lines, store number, date/time and registration detail data are stored in two files (check tracking index file and check tracking detail file).

- Check tracking detail file and index file are cleared by the following timing:
 1. The check is cleared after printing finalized data on slip or guest check receipts, or the check is also cleared when the new or old check operation is made.
 2. The check is cleared after printing finalized data on slip or guest check receipt, or check is also cleared when the same finalized check number is assigned in new check operation.You can select one of these options by programming.
- Auto new balance function
The register can be programmed so that whenever a clerk (by clerk key) signs off while a check is open, a <NEW BALANCE> operation is automatically performed to temporarily finalize the open check.
- You can specify a range of checks that can be opened by each clerk. Once you do, any attempt by a clerk to open a check using a number that is not within his specified range results in an error.
- Either of the following two operations can be used to correct input of a wrong check number.
 - <NEW CHECK>
Re-input the correct check number, or cancel the original check number, issue a receipt, and then re-input the correct check number.
 - <OLD CHECK>, <NEW/OLD>
Temporary finalize the original check number, issue a receipt, and then re-input the correct check number.

Opening a check

Example

	OPERATION	RECEIPT																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Check#</td> <td colspan="2" style="text-align: right;">1234</td> </tr> <tr> <td>Table#</td> <td colspan="2" style="text-align: right;">33</td> </tr> <tr> <td rowspan="2">Item 1</td> <td>Dept 1</td> <td style="text-align: right;">\$10.00</td> </tr> <tr> <td>Quantity</td> <td style="text-align: right;">2</td> </tr> <tr> <td rowspan="2">Item 2</td> <td>Dept 2</td> <td style="text-align: right;">\$20.00</td> </tr> <tr> <td>Quantity</td> <td style="text-align: right;">2</td> </tr> <tr> <td rowspan="2">Item 3</td> <td>Dept 3</td> <td style="text-align: right;">\$30.00</td> </tr> <tr> <td>Quantity</td> <td style="text-align: right;">1</td> </tr> </table>	Check#	1234		Table#	33		Item 1	Dept 1	\$10.00	Quantity	2	Item 2	Dept 2	\$20.00	Quantity	2	Item 3	Dept 3	\$30.00	Quantity	1	<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1 2 3 4 NEW CHECK </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 3 3 TABLE # </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1 0 00 1 </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 2 0 00 2 </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 3 0 00 3 </div> <p style="text-align: center;">Insert slip</p> <div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 0 auto;">NB</div> <p style="text-align: center;">Remove slip</p>	<pre> REG 03-04-2000 16:55 C01 MC#01 000148 CHECK No. 1234 TBL-# 000033 1 DEPT01 -10.00 1 DEPT01 -10.00 1 DEPT02 -20.00 1 DEPT02 -20.00 1 DEPT03 -30.00 + -0.50 SRVC TL -90.50 </pre>
Check#	1234																						
Table#	33																						
Item 1	Dept 1	\$10.00																					
	Quantity	2																					
Item 2	Dept 2	\$20.00																					
	Quantity	2																					
Item 3	Dept 3	\$30.00																					
	Quantity	1																					

Press <NEW BALANCE> to temporarily close the transaction. If you want to finalize a check immediately, use <CASH>, <CHARGE>, <CREDIT> or <CHECK>.

Adding to a check

Example

	OPERATION	RECEIPT																
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Check#</td> <td colspan="2" style="text-align: right;">1234</td> </tr> <tr> <td>Table#</td> <td colspan="2" style="text-align: right;">33</td> </tr> <tr> <td rowspan="2">Item 1</td> <td>Dept 1</td> <td style="text-align: right;">\$30.00</td> </tr> <tr> <td>Quantity</td> <td style="text-align: right;">1</td> </tr> <tr> <td rowspan="2">Item 2</td> <td>Dept 2</td> <td style="text-align: right;">\$10.00</td> </tr> <tr> <td>Quantity</td> <td style="text-align: right;">1</td> </tr> </table>	Check#	1234		Table#	33		Item 1	Dept 1	\$30.00	Quantity	1	Item 2	Dept 2	\$10.00	Quantity	1	<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1 2 3 4 OLD CHECK </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 3 0 00 1 </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1 0 00 2 </div> <p style="text-align: center;">Insert slip</p> <div style="border: 1px solid black; padding: 2px; width: fit-content; margin: 0 auto;">NB</div> <p style="text-align: center;">Remove slip</p>	<pre> REG 03-04-2000 17:00 C01 MC#01 000149 TABLE No. 000033 CT 1 CHECK No. 1234 ST -90.50 1 DEPT01 -30.00 1 DEPT02 -10.00 + -0.50 SRVC TL -131.00 </pre>
Check#	1234																	
Table#	33																	
Item 1	Dept 1	\$30.00																
	Quantity	1																
Item 2	Dept 2	\$10.00																
	Quantity	1																

- The table number is stored in the check tracking index memory so its input is not required in this operation even if table number input is preset as compulsory. Table number input after inputting the check number may be performed, however, without generating an error.
- Once a check is opened under a number in a certain mode (REG1 or REG2), the same mode must be used to make additions to the check.

Advanced Operations

Issuing a guest receipt

The following operation can be used to print out the balance of a temporarily finalized check.

Example

OPERATION	RECEIPT
<p> <input type="button" value="1"/> <input type="button" value="2"/> <input type="button" value="3"/> <input type="button" value="4"/> <input type="button" value="GUEST RECEIPT"/> </p> <p>Input the number of check you want.</p>	<pre> REG 03-04-2000 17:05 C01 MC#01 000150 TABLE No.000033 CT 1 CHECK No. 1234 1 DEPT01 -10.00 1 DEPT01 -10.00 1 DEPT02 -20.00 1 DEPT02 -20.00 1 DEPT03 -30.00 + +0.50 1 DEPT01 -30.00 1 DEPT02 -10.00 + +0.50 SRVC TL -131.00 </pre>

Closing a check memory

Example

OPERATION	RECEIPT
<p> <input type="button" value="1"/> <input type="button" value="2"/> <input type="button" value="3"/> <input type="button" value="4"/> <input type="button" value="OLD CHECK"/> </p> <p> <input type="button" value="1"/> <input type="button" value="5"/> <input type="button" value="0"/> <input type="button" value="00"/> <input type="button" value="CA / AMT TEND"/> </p>	<pre> REG 03-04-2000 17:10 C01 MC#01 000151 TABLE No.000033 CT 1 CHECK No. 1234 ST -131.00 CASH -150.00 CG -19.00 </pre>

SLIP

REG	03-04-2000	17:10
C01	MC#01	000151
TABLE No.	000033	CT 1
CHECK No.	1234	
1	DEPT01	-10.00
1	DEPT01	-10.00
1	DEPT02	-20.00
1	DEPT02	-20.00
1	DEPT03	-30.00
	+	-0.50
#13	SRVC TL	-90.50
1	DEPT01	-30.00
1	DEPT02	-10.00
	+	-0.50
#17	SRVC TL	-131.00
	TL	-131.00
	CASH	-150.00
	CG	-19.00

New/old check key operation

Example 1

When a check number is input and <NEW/OLD> is pressed, the key works as a new check key function if there is no matching check number in the check tracking memory.

OPERATION

RECEIPT

3 4 5 6 NEW/OLD
 Input a check number and press
 <NEW/OLD>.
1 0 00 1
2 0 00 2
NB

REG	03-04-2000	17:15
C01	MC#01	000152
CHECK No.	3456	
1	DEPT01	-10.00
1	DEPT02	-20.00
	+	-0.50
	SRVC TL	-30.50

Example 2

When a check number is input and <NEW/OLD> is pressed, the key works as an old check key if there is matching check number in the check tracking memory.

OPERATION

RECEIPT

3 4 5 6 NEW/OLD
3 1 00 CA/AMT TEND

REG	03-04-2000	17:20
C01	MC#01	000153
CHECK No.	3456	CT 1
	ST	-30.50
	TL	-30.50
	CASH	-31.00
	CG	-0.50

Advanced Operations

Add check

This operation lets you combine the amounts of more than one check into a single check.

Example

Registration for check number 1234

	OPERATION	RECEIPT
Original check	<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1234NEW CHECK </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 33TABLE # </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 10001 </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 20002 </div> <div style="text-align: center;"> NB </div>	<pre> REG 03-04-2000 17:25 C01 MC#01 000154 CHECK No. 1234 TBL-# 000033 1 DEPT01 -10.00 1 DEPT02 -20.00 + -0.50 SRVC TL -30.50 </pre>

Registration for check number 3456

	OPERATION	RECEIPT
Added check	<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 3456NEW CHECK </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 30001 </div> <div style="text-align: center;"> NB </div>	<pre> REG 03-04-2000 17:30 C01 MC#01 000155 CHECK No. 3456 1 DEPT01 -30.00 + -0.50 SRVC TL -30.50 </pre>

Registration for check number 1234

	OPERATION	RECEIPT
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 5px; text-align: center;">Check No. : 1234</div> <div style="border: 1px dashed black; padding: 5px; text-align: center;">Check No. : 3456</div> </div> <div style="margin-top: 20px; text-align: center;"> ← </div>	<div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 1234OLD CHECK </div> <div style="display: flex; justify-content: space-around; margin-bottom: 5px;"> 3456ADD CHECK </div> <div style="text-align: center;"> NB </div>	<pre> REG 03-04-2000 17:35 C01 MC#01 000156 TABLE NO.000033 CT 1 CHECK No. 1234 ST -30.50 ADD CHK 3456 ST -30.50 + -0.50 SRVC TL -61.50 </pre>

Separate check

This operation makes it possible to split a single check into separate checks.

Example

Check#		1234
Item 1	Dept 1	\$10.00
	Quantity	1
Item 2	Dept 2	\$20.00
	Quantity	1
Item 3	Dept 3	\$30.00
	Quantity	1
Item 4	Dept 4	\$40.00
	Quantity	1

→

↗

Check#		3456
Item 1	Dept 1	\$10.00
	Quantity	1
Item 2	Dept 3	\$30.00
	Quantity	1
Payment	Cash	\$40.00

OPERATION

RECEIPT

3 4 5 6 NEW CHECK

This input of a temporary check number can be skipped.

1 2 3 4 SEPARATE CHECK

Input the original check number by <SEP CHK>.

Display shows the 1st item which will be separated.

SEPARATE CHECK

After <SEP CHK>, this item is separated.

REVIEW

Display shows the 3rd item which will be separated.

SEPARATE CHECK

NB

4 0 00 CA/AMT TEND

```

REG 03-04-2000 17:40
C01 MC#01 000157
CHECK No.3456

SEP CHK          1234
1 DEPT01         -10.00
1 DEPT03         -30.00
ST              -40.00
CASH             -40.00
CG               -0.00
    
```

Advanced Operations

Clerk transfer

This operation lets you change the clerk who is in charge of a specific open check number.

Example

To change the clerk for check number 1234 from clerk 1 to clerk number 4.

OPERATION	RECEIPT
<p>Press this key if you do not want the clerk No. or clerk secret No. to appear on the display.</p> <p>1 CLK TRANS</p> <p>Input the clerk No. of the clerk who is currently in charge of check No. 1234 (target check).</p> <p>4 OPE #</p> <p>Input the clerk No. of the clerk who will take over check No. 1234 (target check).</p> <p>1 2 3 4 NEW CHECK</p> <p>Input the target check No. that is transferred from clerk 1 to 4. You can use either <OLD CHK>, <NEW/OLD>. Note that if you skip this step, all check Nos currently assigned to clerk 1 are transferred to clerk 4.</p> <p>CLK TRANS</p>	<pre> REG 03-04-2000 17:45 C01 MC#01 000158 CLK TRANS C01 C04 1234 -60.50 ----- TL -60.50 </pre> <p>Check No./NB amount</p>

Table transfer

With this operation, you can change the number of a check.

Example 1

To change the check number 1234 to 1111 (which is newly opened).

Check No: 1234

1111 <CHK TRN>

Check No: 1234

Check No: 1111

OPERATION	RECEIPT
<p>1 2 3 4 NEW CHECK</p> <p>1 0 00 1</p> <p>1 1 1 1 CHECK TRANS</p> <p>Input the new check No.</p>	<pre> REG 03-04-2000 17:50 C01 MC#01 000159 CHECK No. 1234 1 DEPT01 -10.00 ST -10.00 TBL TRANS 1111 SRVC TL -10.00 </pre>

Example 2

To change the check number 3456 to 2222 (which has already been opened).

Check No: 3456

Check No: 2222

1111 <CHK TRN>

Check No: 3456

Check No: 2222

Added

OPERATION	RECEIPT
<p>3 4 5 6 OLD CHECK</p> <p>1 0 00 1</p> <p>2 2 2 2 CHECK TRANS</p>	<pre> REG 03-04-2000 17:55 C01 MC#01 000160 CHECK No. 3456 ST -10.00 1 DEPT01 -10.00 TBL TRANS 2222 SRVC TL -30.00 </pre>

Price reductions (red price)

You can use the reduced price function to change a price; generally to an amount that is less than the normal price. You can program the register so that it prints the normal price, and the difference between the two prices on the receipt, while on journal, these items are always printed.

The following functions are able to work with red price.

- Department and PLU
- Quantity extension (Preset price is required for both department and PLU.)
- Amount limitation of item program (It effects to new price.)

Note that you cannot use red price with the following types of item.

- Department and PLUs programmed with negative unit prices
- Set menus and link PLUs
- Second unit prices
- Multiplication operations that use the format: Amount × Quantity

Example 1

Item	Dept 1	\$6.00
	Red price	\$4.00
Payment	Cash	\$4.00

OPERATION

4 00 RED PRICE

Input a reduced price.

6 00 1

CA/AMT /TEND

RECEIPT

```

REG 03-04-2000 18:00
C01 MC#01 000161

RED -6.00
RED PRC -2.00
1 DEPT01 *4.00
TL -4.00
CASH -4.00
                    
```

Old price
Reduced price
New price (Difference between two prices)

Example 2

Item	PLU 1	\$4.00
	Red price	\$2.00
Payment	Cash	\$6.00

OPERATION

3 DATE TIME

2 00 RED PRICE

Input a reduced price.

1 PLU

CA/AMT /TEND

RECEIPT

```

REG 03-04-2000 18:05
C01 MC#01 000162

RED -6.00
RED PRC -4.00
3 PLU0001 *6.00
TL -6.00
CASH -6.00
                    
```

- The model for the U.S./Canada, use FOR DATE TIME instead of DATE TIME.

Condiment/preparation PLUs

You can force entering condiment or preparation PLU after the main PLU registration by programming.

Example (condiment PLU)

OPERATION			RECEIPT
Main item	PLU 1	\$10.00	<pre> REG 03-04-2000 18:10 C01 MC#01 000163 1 PLU0001 -10.00 PLU0011 -0.10 PLU0012 -0.20 PLU0013 -0.30 TL -10.60 CASH -10.60 </pre>
	PLU 11	\$0.10	
Condiment	PLU 12	\$0.20	
	PLU 13	\$0.30	
Payment	Cash	\$10.60	

<p style="text-align: center;"> 1 PLU Registering main PLU. No condiment registration occurs an error condition. </p> <p style="text-align: center;"> 1 1 PLU 1 2 PLU 1 3 PLU CA/AMT /TEND </p>		
---	--	--

Example (preparation PLU)

OPERATION			RECEIPT
Main item	PLU 20	\$20.00	<pre> REG 03-04-2000 18:15 C01 MC#01 000164 1 PLU0020 -20.00 PLU0021 PLU0022 PLU0023 TL -20.00 CASH -20.00 </pre>
	PLU 21	\$0.00	
Preparation	PLU 22	\$0.00	
	PLU 23	\$0.00	
Payment	Cash	\$20.00	

<p style="text-align: center;"> 2 0 PLU Registering main PLU. </p> <p style="text-align: center;"> 2 1 PLU 2 2 PLU 2 3 PLU CA/AMT /TEND </p>		
---	--	--

VAT breakdown printing

You can force printing of the VAT breakdown at the finalize stage, regardless of whether the cash register is programmed to print or skip printing of the VAT breakdown. Every time you want to have VAT breakdown, press <VAT>.

Example

	OPERATION	RECEIPT													
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="text-align: center;">Item 1</td> <td style="text-align: center;">Dept 1</td> <td style="text-align: right;">\$1.00</td> </tr> <tr> <td style="text-align: center;">Taxable</td> <td style="text-align: center;">1</td> </tr> <tr> <td rowspan="2" style="text-align: center;">Item 2</td> <td style="text-align: center;">PLU 1</td> <td style="text-align: right;">(\$2.00)</td> </tr> <tr> <td style="text-align: center;">Taxable</td> <td style="text-align: center;">2</td> </tr> <tr> <td style="text-align: center;">Payment</td> <td style="text-align: center;">Cash</td> <td style="text-align: right;">\$3.00</td> </tr> </table>	Item 1	Dept 1	\$1.00	Taxable	1	Item 2	PLU 1	(\$2.00)	Taxable	2	Payment	Cash	\$3.00	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">1</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> <div style="border: 1px solid black; padding: 2px 5px;">1</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">PLU</div> </div> <div style="border: 1px solid black; padding: 2px 5px; text-align: center;">VAT</div> <div style="border: 1px solid black; padding: 2px 5px; text-align: center;">CA/AMT TEND</div> </div>	<pre> REG 03-04-2000 18:20 C01 MC#01 000165 1 DEPT01 T1 -1.00 1 PLU0001 T2 -2.00 TA1 -0.90 TX1 -0.10 TA2 -1.90 TX2 -0.10 TL - 3.00 CASH -3.00 </pre>
Item 1		Dept 1	\$1.00												
	Taxable	1													
Item 2	PLU 1	(\$2.00)													
	Taxable	2													
Payment	Cash	\$3.00													

Deposit registrations

Use the following procedures to register deposits.

Deposit from customer

	OPERATION	RECEIPT			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">Deposit</td> <td style="text-align: center;">Cash</td> <td style="text-align: right;">\$50.00</td> </tr> </table>	Deposit	Cash	\$50.00	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">5</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> <div style="border: 1px solid black; padding: 2px 5px;">DEPOSIT</div> </div> <div style="border: 1px solid black; padding: 2px 5px; text-align: center;">CA/AMT TEND</div> </div>	<pre> REG 03-04-2000 18:25 C01 MC#01 000166 DEPO- -50.00 TL - 50.00 CASH -50.00 </pre>
Deposit	Cash	\$50.00			

Deposit from customer during sales transaction

	OPERATION	RECEIPT											
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td rowspan="2" style="text-align: center;">Items</td> <td style="text-align: center;">Dept 1</td> <td style="text-align: right;">\$10.00</td> </tr> <tr> <td style="text-align: center;">Dept 2</td> <td style="text-align: right;">\$20.00</td> </tr> <tr> <td style="text-align: center;">Deposit</td> <td></td> <td style="text-align: right;">\$20.00</td> </tr> <tr> <td style="text-align: center;">Payment</td> <td style="text-align: center;">Cash</td> <td style="text-align: right;">\$10.00</td> </tr> </table>	Items	Dept 1	\$10.00	Dept 2	\$20.00	Deposit		\$20.00	Payment	Cash	\$10.00	<div style="display: flex; flex-direction: column; align-items: center; gap: 10px;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">1</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> <div style="border: 1px solid black; padding: 2px 5px;">1</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> </div> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> <div style="border: 1px solid black; padding: 2px 5px;">DEPOSIT</div> </div> <div style="border: 1px solid black; padding: 2px 5px; text-align: center;">CA/AMT TEND</div> </div>	<pre> REG 03-04-2000 18:30 C01 MC#01 000167 1 DEPT01 -10.00 1 DEPT02 -20.00 DEPO+ -20.00 TL - 10.00 CASH -10.00 </pre>
Items		Dept 1	\$10.00										
	Dept 2	\$20.00											
Deposit		\$20.00											
Payment	Cash	\$10.00											

Bill copy

Example 1

To issue a copy of a bill dated February 1, 2000 in the amount of \$35.00 cash.

OPERATION	RECEIPT
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">1</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> </div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">BILL COPY</div> </div> <p style="text-align: center; font-size: 10px;">Enter date by date order.</p> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">3</div> <div style="border: 1px solid black; padding: 2px 5px;">5</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> </div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">CA/AMT TEND</div> </div>	<pre style="font-family: monospace; font-size: 10px;"> * BILL TOP MESSAGE 1 * * BILL TOP MESSAGE 2 * * BILL TOP MESSAGE 3 * * BILL TOP MESSAGE 4 * REG 02-01-2000 C01 MC#01 * BILL COPY MESSAGE 1 * * BILL COPY MESSAGE 2 * * BILL COPY MESSAGE 3 * * BILL COPY MESSAGE 4 * TA1 -35.00 TX1 -3.50 TL -38.50 CASH -38.50 * BILL BTM MESSAGE 1 * * BILL BTM MESSAGE 2 * * BILL BTM MESSAGE 3 * * BILL BTM MESSAGE 4 * </pre> <p style="font-size: 8px;">*¹ Programmable option</p>

Note that you can finalize this operation using the cash amount tendered key.

Example 2

To issue a copy of a bill dated February 1, 2000 in the amount of Euro 30.00 cash (sub-currency).

OPERATION	RECEIPT
<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">1</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> </div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">BILL COPY</div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">EURO PD</div> </div> <div style="display: flex; justify-content: space-around; align-items: center; margin-top: 10px;"> <div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px 5px;">3</div> <div style="border: 1px solid black; padding: 2px 5px;">0</div> <div style="border: 1px solid black; padding: 2px 5px;">00</div> </div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">CA/AMT TEND</div> </div>	<pre style="font-family: monospace; font-size: 10px;"> * BILL TOP MESSAGE 1 * * BILL TOP MESSAGE 2 * * BILL TOP MESSAGE 3 * * BILL TOP MESSAGE 4 * REG 02-01-2000 C01 MC#01 * BILL COPY MESSAGE 1 * * BILL COPY MESSAGE 2 * * BILL COPY MESSAGE 3 * * BILL COPY MESSAGE 4 * TA1 €27.28 TX1 €2.72 TL €30.00 CASH €30.00 * BILL BTM MESSAGE 1 * * BILL BTM MESSAGE 2 * * BILL BTM MESSAGE 3 * * BILL BTM MESSAGE 4 * </pre> <p style="font-size: 8px;">*¹ Programmable option</p>

Actual stock quantity inquiry

With this operation, you can recall the actual stock quantity for PLUs and show it on the display of the cash register.

Example

To check the actual stock quantity of PLU 32 and flat-PLU 001.

OPERATION	DISPLAY (7 segment)
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 5px;">3</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">PLU</div> </div> <div style="margin-top: 5px;">STOCK INQ</div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">12345</div>
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-top: 5px;">STOCK INQ</div> <div style="border: 1px solid black; padding: 2px 5px;">001</div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">1</div>

Actual stock quantity are appeared.

Unit price inquiry

Use this operation to recall the unit prices of departments, PLUs, second unit price of PLUs, or scanning PLUs. The unit prices appear on the display of the cash register when recalled.

Example

To check the unit price of PLU 32, flat-PLU 001, department 1.

OPERATION	DISPLAY (7 segment)
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="display: flex; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 5px;">3</div> <div style="border: 1px solid black; padding: 2px 5px;">2</div> <div style="border: 1px solid black; padding: 2px 5px;">PLU</div> </div> <div style="margin-top: 5px;">PRICE INQ</div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">145</div>
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-top: 5px;">PRICE INQ</div> <div style="border: 1px solid black; padding: 2px 5px;">001</div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">300</div>
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-top: 5px;">PRICE INQ</div> <div style="border: 1px solid black; padding: 2px 5px;">1</div> </div>	<div style="border: 1px solid black; padding: 5px; text-align: center;">1400</div>

Previous item void using <REVIEW>

You can correct the previously registered item(s) in the same transaction by using <REVIEW> (review key).

Example

	OPERATION	DISPLAY
Item 1	Dept. 1 \$2.35	1 ST ·2.35 DEPT01
	Quantity 1	2.35
Item 2	Dept. 2 \$2.00	2 ST ·4.35 DEPT02
	Quantity 1	2.00
Item 3	PLU 1 (\$1.20) _{preset}	3 ST ·5.55 PLU001
	Quantity 1	1.20
Corrected Item 1	Dept. 1 \$2.35	** REVIEW ** DEPT01 1 QT
	Quantity 1	2.35
Payment	Cash \$3.20	2 ST ·3.20 DEPT01
		-2.35
		CASH
		3.20

Review the item to be corrected.

Press <VOID> to correct.

RECEIPT

```

REG 03-04-2000 18:45
C01    MC#01    000170

1 DEPT01        ·2.35
1 DEPT02        ·2.00
1 PLU0001       ·1.20
VOID            .....
1 DEPT01        -2.35
TL              -3.20
CASH            ·3.20
    
```

Scanning PLU

Product barcodes are read by scanning with hand-held scanner, and are filed in the scanning PLU file together with the unit price, item descriptor, programming status, link department, totalizer and counter.

When a barcode is entered by scanning, or from the keyboard by using <OBR> (OBR key) or <One touch NLU> (One touch NLU key) and it has been filed in the scanning PLU file, the preset unit price is accumulated to its own totalizer and other appropriate totalizers.

Scanning PLUs include UPC-A/UPC-E/EAN-13/EAN-8, source marking, in-store marking code.

Item registration

By scanner/code input/one touch NLU key

	OPERATION		RECEIPT
Item 1 (scan)	Scan-PLU	(\$2.35)	<div style="border: 1px solid black; padding: 5px;"> <p>REG 03-04-2000 18:50 C01 MC#01 000171</p> <p>1 Scan-PLU01 -2.34 #49012347</p> <p>1 Scan-PLU02 -2.00 #123456</p> <p>1 Scan-PLU03 -1.23 #49012354</p> <p>TL -5.58</p> <p>CASH -5.58</p> </div>
	PLU code	49012347	
Item 2 (code)	Scan-PLU	(\$2.00)	
	PLU code	123456	
Item 3 (OTN)	Scan-PLU	(\$1.23)	
	PLU code	49012354	
Payment	Cash	\$5.58	

“Scanning”

1

2

3

4

5

6

OBR

Scanning-PLU code and
OBR key

NLU

One touch NLU

CA/AMT
/TEND

Scanning PLU code *1

*1 Programmable option

Not found PLU

When a scanning PLU item which does not exist in the scanning PLU file is registered, an error occurs (Item not found error). In this case, you can input this item to the ECR and register it at the same time. After this operation, “Item not found error” does not occur during the next registration.

	OPERATION		RECEIPT
Item 1 (scan)	Scan-PLU	(\$1.00)	<div style="border: 1px solid black; padding: 5px;"> <p>REG 03-04-2000 18:55 C01 MC#01 000172</p> <p>1 DEPT01 -1.00 #49012361</p> <p>1 DEPT01 -1.00 #49012361</p> <p>TL -2.00</p> <p>CASH -2.00</p> </div>
	PLU code	49012361	
	Dept.	1	
Item 2 (scan)	Scan-PLU	(\$1.00)	
	PLU code	49012361	
Payment	Cash	\$2.00	

“Scanning”

Does not exist in the scanning
PLU file

“Not Found Error”

1

0

0

1

Input price and press the linked
department key.

“Scanning”

Register normally.

CA/AMT
/TEND


Link department
descriptor/amount

After daily operation, a “Not found PLU maintenance” is necessary to merge not found PLU(s) into the scanning PLU file. Please consult with your dealer in detail.


Programming to clerk

You can program up to 4-digit assigning number (clerk number), trainee status of clerk (i.e. training cashier) and commission rate for each clerk.


Programming clerk number



Programming trainee status



Programming commission rate



Record No.	Clerk number				Trainee status		Commission rate							
							Commission rate 1				Commission rate 2			
	D4	D3	D2	D1	D6	00000	D8	D7	D6	D5	D4	D3	D2	D1
1						00000								
2						00000								
3						00000								
4						00000								
5						00000								
6						00000								
7						00000								
8						00000								
14						00000								
15						00000								

Character programming can be performed in two ways:


- Character keyboard programming (see page 95),
or
- Entering characters by code (see page 96).

Programming descriptors and messages

The following descriptors and messages can be programmed;

- Messages (Logo, commercial and bottom message)
- Clerk name
- PLU item descriptor
- Department key descriptor
- Machine number

Programming receipt message and clerk name



Address code	Contents	Initial character	Yours									
0107	Clerk 01	C01										
0207	Clerk 02	C02										
0307	Clerk 03	C03										
0407	Clerk 04	C04										
0507	Clerk 05	C05										
0607	Clerk 06	C06										
0707	Clerk 07	C07										
0807	Clerk 08	C08										
1407	Clerk 14	C14										
1507	Clerk 15	C15										

Machine number


Up to 8 characters can be set.

Address code	Contents	Initial character
Machine number		
0191	Machine number	MC#01

Advanced Operations

Address code	Contents	Initial character	Yours
0132	1st line of logo message	YOUR RECEIPT	
0232	2nd line of logo message	THANK YOU	
0332	3rd line of logo message	CALL AGAIN	
0432	4th line of logo message		
0532	1st line of commercial message		
0632	2nd line of commercial message		
0732	3rd line of commercial message		
0832	4th line of commercial message		
0932	1st line of bottom message		
1032	2nd line of bottom message		
1132	3rd line of bottom message		
1232	4th line of bottom message		
1332	1st line of bill top message		
1432	2nd line of bill top message		
1532	3rd line of bill top message		
1632	4th line of bill top message		
1732	1st line of bill copy message		
1832	2nd line of bill copy message		
1932	3rd line of bill copy message		
2032	4th line of bill copy message		
2132	1st line of bill bottom message		
2232	2nd line of bill bottom message		
2332	3rd line of bill bottom message		
2432	4th line of bill bottom message		
2532	Post receipt message		
2632	1st line of guest intermediate msg.		
2732	2nd line of guest intermediate msg.		
2832	3rd line of guest intermediate msg.		
2932	4th line of guest intermediate msg.		
3032	1st line of guest bottom msg.		
3132	2nd line of guest bottom msg.		
3232	3rd line of guest bottom msg.		
3332	4th line of guest bottom msg.		
3432	5th line of guest bottom msg.		
3532	6th line of guest bottom msg.		
3632	7th line of guest bottom msg.		
3732	8th line of guest bottom msg.		
3832	9th line of guest bottom msg.		
3932	10th line of guest bottom msg.		

Programming department/transaction key descriptor




Contents	Initial character	Yours											
Department 01	DEPT01												
Department 02	DEPT02												
Department 03	DEPT03												
Department 04	DEPT04												
Department 05	DEPT05												
Department 06	DEPT06												

Contents	Initial character	Yours											
Cash/Amount tendered	CASH												
Charge	CHARGE												
Check	CHECK												
Credit 1	CREDIT1												
Credit 2	CREDIT2												
Loan	LOAN												
Received on account	RC												
Paid out	PD												
Pick up	P.UP												
Minus	-												
Discount	Z-												
Refund	RF												
Correction	CORR												
Validation	VLD												
Receipt	RCT												
Non add/No sale	#/NS												
VAT	VAT												
Tax shift 1	T/S1												
Tax shift 2	T/S2												
Open	OPEN												
Clerk number	CLK#												
Subtotal	SUBTOTAL												
Receipt on/off	RCT ON/OFF												
Multiplication/Date time	X												
Multiplication/for/Date time	QT												
Two zero	00												
Decimal point	.												
Media change	MEDIA CHG												

Advanced Operations

Programming PLU descriptor



PLU No.	Contents	Initial character	Yours																				
PLU																							
001	PLU 001	PLU0001																					
002	PLU 002	PLU0002																					
003	PLU 003	PLU0003																					
004	PLU 004	PLU0004																					
005	PLU 005	PLU0005																					
006	PLU 006	PLU0006																					
007	PLU 007	PLU0007																					
008	PLU 008	PLU0008																					
009	PLU 009	PLU0009																					
010	PLU 010	PLU0010																					
011	PLU 011	PLU0011																					
012	PLU 012	PLU0012																					
013	PLU 013	PLU0013																					
014	PLU 014	PLU0014																					
015	PLU 015	PLU0015																					
016	PLU 016	PLU0016																					
017	PLU 017	PLU0017																					
018	PLU 018	PLU0018																					
019	PLU 019	PLU0019																					
020	PLU 020	PLU0020																					
021	PLU 021	PLU0021																					
022	PLU 022	PLU0022																					
023	PLU 023	PLU0023																					
024	PLU 024	PLU0024																					
025	PLU 025	PLU0025																					
026	PLU 026	PLU0026																					
027	PLU 027	PLU0027																					
028	PLU 028	PLU0028																					
029	PLU 029	PLU0029																					
030	PLU 030	PLU0030																					
031	PLU 031	PLU0031																					



Entering characters


In this section, the method to enter descriptors or messages (characters) to the cash register during programming is described.

Characters are specified by character keyboard or by codes. In the first half of this section, the usage of character keyboard is described. In the latter half, inputting method by character code is described.

Using character keyboard

Example:


Input “  p p l e J u i c e ”,
 enter “DBL”“A” “SHIFT”“p” “p” “l” “e” “SPACE”“SHIFT”“SHIFT”“J” “SHIFT”“u” “i” “c” “e”  .



- ① **Shift key**
Pressing this key shifts the character through the upper-case letter, lower case letter, numerics and returns to the uppercase letter in sequence.
- ② **Left cursor key**
Shifts the character setting position to the left one by one, and used to correct already entered characters.
- ③ **Right cursor key**
Shifts the character setting position to the right one by one, and used to correct already entered characters.
- ④ **Double size letter key**
Specifies that the next character you input to a double size character.
You must press this key before each double size character.
- ⑤ **Space key**
Sets a space by depression.
- ⑥ **Clear key**
Clears all input characters in the programming.
- ⑦ **Alphabet keys**
Used input to characters.
- ⑧ **Numeric keys**
Used to enter program codes, memory number and character codes.
- ⑨ **Character fixed key**
Enter when the alphabetic entry for a descriptor, name or message has been completed.
- ⑩ **Backspace/Character code fixed key**
Registers one character with code (2 or 3 digit).
Clears the last input character, much like a back space key. (Does not clear the double size letter key entry.)
- ⑪ **Program end key**
Terminates the character programming.
- ⑫ **Character enter key**
Registers the programmed characters.

Advanced Operations

Entering characters by code

Every time you enter a character, choose character codes by the character code list (below) and press the  key to settle it. After you complete entering characters, press the **00** key to fix them.

Example:

Input “  P P l e J u i c e  ”,
 enter “ 255  65  112  112  108  101  32  74  117  105  99  101  **00** ”

Character code list

Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code
Space	32	0	48	À	64	P	80	`	96	ƒ	112	Ç	128
!	33	1	49	Á	65	Q	81	á	97	ƒ	113	ü	129
"	34	2	50	B	66	R	82	b	98	r	114	é	130
#	35	3	51	C	67	S	83	c	99	s	115	â	131
\$	36	4	52	D	68	T	84	d	100	t	116	ä	132
%	37	5	53	E	69	U	85	e	101	u	117	à	133
&	38	6	54	F	70	V	86	f	102	v	118	å	134
'	39	7	55	G	71	W	87	g	103	w	119	ç	135
(40	8	56	H	72	X	88	h	104	x	120	ê	136
)	41	9	57	I	73	Y	89	i	105	y	121	ë	137
*	42	:	58	J	74	Z	90	j	106	z	122	è	138
+	43	;	59	K	75	[91	k	107	{	123	ì	139
,	44	<	60	L	76	\	92	l	108		124	î	140
-	45	=	61	M	77]	93	m	109	}	125	í	141
.	46	>	62	N	78	^	94	n	110	~	126	Ë	142
/	47	?	63	O	79	_	95	o	111		127	Ä	143

Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code	Chara	Code
É	144	á	160	ÿ	176	Ł	192	À	208	Ó	224	—	240
æ	145	í	161	ÿ	177	Ł	193	Á	209	Ô	225	±	241
Æ	146	ó	162	ÿ	178	ł	194	Â	210	Õ	226	…	242
ô	147	ú	163	ı	179	ł	195	Ë	211	Ö	227	‰	243
ö	148	ñ	164	ı	180	—	196	È	212	ö	228	¶	244
ò	149	Ñ	165	Á	181	†	197	€	213	Û	229	§	245
û	150	#	166	Â	182	ā	198	ı	214	µ	230	÷	246
ù	151	€	167	Ã	183	Ä	199	î	215	þ	231	„	247
ÿ	152	¿	168	Ä	184	ı	200	ï	216	ƒ	232	°	248
Ö	153	®	169	ı	185	#	201	ı	217	Ó	233	“	249
Ü	154	™	170	ı	186	#	202	ı	218	Ô	234	•	250
ø	155	ℓ	171	#	187	#	203	ı	219	Ù	235	ı	251
£	156	ℓ	172	#	188	ı	204	#	220	Ú	236	§	252
Ø	157	ı	173	€	189	—	205	ı	221	Ý	237	ž	253
×	158	«	174	¥	190	ı	206	ı	222	—	238	ı	254
f	159	»	175	ı	191	ı	207	ı	223	'	239	Double size	255

Editing characters

Correcting a character just entered

OPERATION	DISPLAY (dot)
“L” “E” “N” “O” “N” ⇐ Enter LENON, instead of LEMON.	
⇐ Press left arrow key three times.	
“M” ⇐ Enter “M”.	
⇐ Delete “N”.	

Correcting a PLU descriptor already set

OPERATION	DISPLAY (dot)
⇐ Enter PLU No.	
⇐ Press right arrow key two times.	
“M” ⇐ Enter “M”.	
⇐ Delete “N”.	

Correcting a key descriptor already set

OPERATION	DISPLAY (dot)
⇐ Enter “00”.	
⇐ Designate a department/transaction/flat-PLU key	
⇐ Press right arrow key two times.	
“M” ⇐ Enter “M”.	
⇐ Delete “N”.	

Correcting a message descriptor already set

OPERATION	DISPLAY (dot)
⇐ Enter record and file number.	
⇐ Press right arrow key two times.	
“O” ⇐ Enter “O”.	
⇐ Delete “A”.	

Printing read/reset reports

• Daily sales read report (“X1” mode)

You can print read reports at any time during the business day without affecting the data stored in the cash register's memory.

• Daily sales reset report (“Z1” mode)

You should print reset reports at the end of the business day.

Important!

- The reset operation issues a report and also clears all sales data from the cash register's memory.
- Be sure to perform the reset operations at the end of each business day. Otherwise, you will not be able to distinguish between the sales data for different dates.

To print the individual department, PLU read report


This report shows sales for specific departments or PLUs.

OPERATION	REPORT		
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> X1 <small>Mode switch</small> </div> <div style="margin-top: 10px;"> <p>• Specifying a department <input type="text" value="1"/>, <input type="text" value="2"/>, <input type="text" value="3"/> ~</p> <p>• Specifying a PLU <input type="text" value="1"/> <input type="text" value="PLU"/> ~</p> </div> <div style="text-align: center; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px; display: inline-block;">SUB TOTAL</div> </div>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; border-right: 1px solid black; padding: 5px;"> <pre> X 03-04-2000 19:00 CO1 MC#01 000763 X INDIVIDUAL DEPT01 38 8.13% -257.53 OLD PRC -2.21 RED PRC -4.18 DISCOUNT -5.80 PLU0001 17 0.53% -17.00 OLD PRC -0.00 RED PRC -2.18 DISCOUNT -2.50 #000001 #000123 17 ----- TL 88.61 -516.10 RED PRC -12.18 DISCOUNT -9.50 </pre> </td> <td style="width: 40%; padding: 5px; vertical-align: top;"> <p>Mode/date/time</p> <p>Clerk/Mc No./consecutive No.</p> <p>Read symbol/report title</p> <p>Department Name/No. of items</p> <p>Sales ratio/amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU Name/No. of items</p> <p>Sales ratio/PLU amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU random code</p> <p>Total No. of items</p> <p>Total amount</p> <p>Red amount total</p> <p>Discount amount total</p> </td> </tr> </table>	<pre> X 03-04-2000 19:00 CO1 MC#01 000763 X INDIVIDUAL DEPT01 38 8.13% -257.53 OLD PRC -2.21 RED PRC -4.18 DISCOUNT -5.80 PLU0001 17 0.53% -17.00 OLD PRC -0.00 RED PRC -2.18 DISCOUNT -2.50 #000001 #000123 17 ----- TL 88.61 -516.10 RED PRC -12.18 DISCOUNT -9.50 </pre>	<p>Mode/date/time</p> <p>Clerk/Mc No./consecutive No.</p> <p>Read symbol/report title</p> <p>Department Name/No. of items</p> <p>Sales ratio/amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU Name/No. of items</p> <p>Sales ratio/PLU amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU random code</p> <p>Total No. of items</p> <p>Total amount</p> <p>Red amount total</p> <p>Discount amount total</p>
<pre> X 03-04-2000 19:00 CO1 MC#01 000763 X INDIVIDUAL DEPT01 38 8.13% -257.53 OLD PRC -2.21 RED PRC -4.18 DISCOUNT -5.80 PLU0001 17 0.53% -17.00 OLD PRC -0.00 RED PRC -2.18 DISCOUNT -2.50 #000001 #000123 17 ----- TL 88.61 -516.10 RED PRC -12.18 DISCOUNT -9.50 </pre>	<p>Mode/date/time</p> <p>Clerk/Mc No./consecutive No.</p> <p>Read symbol/report title</p> <p>Department Name/No. of items</p> <p>Sales ratio/amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU Name/No. of items</p> <p>Sales ratio/PLU amount</p> <p>Old price amount</p> <p>Red price amount</p> <p>Discount amount</p> <p>PLU random code</p> <p>Total No. of items</p> <p>Total amount</p> <p>Red amount total</p> <p>Discount amount total</p>		

After you finish to select items, press to terminate.


To print the financial read report

This report shows gross sales, net sales, cash in drawer and check in drawer.



To print the individual clerk read/reset report

This report shows individual clerk totals.



*1 Money declaration:

Count how much cash is in the drawer and input this amount (up to 10 digits).

The cash register will automatically compare the input with the cash in drawer in the memory and print the difference between these two amounts.

Note that if money declaration is required by programming, you cannot skip this procedure.

Advanced Operations

To print the daily sales read/reset report

This report shows sales except for PLUs.

OPERATION	REPORT																																																																																																																																				
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> X1/Z1 (read/reset) Mode switch </div>																																																																																																																																					
Money declaration *1 • Main currency: (Cash in drawer amount <input type="checkbox"/> #, <input type="checkbox"/> #/NS or <input type="checkbox"/> NS) • Sub currency: (<input type="checkbox"/> EURO PD cash in drawer amount <input type="checkbox"/> #, <input type="checkbox"/> #/NS or <input type="checkbox"/> NS)																																																																																																																																					
<div style="border: 1px solid black; padding: 2px; display: inline-block;"> CA / AMT / TEND </div>																																																																																																																																					
	<table border="1"> <tbody> <tr> <td>Z</td> <td>BATCH01</td> <td></td> <td>Report title</td> </tr> <tr> <td>Z</td> <td>FIX</td> <td>0001</td> <td>Fixed total report title/reset counter *4</td> </tr> <tr> <td></td> <td></td> <td>0001011</td> <td>Report code</td> </tr> <tr> <td>DECLA</td> <td></td> <td>+6,919.04</td> <td>Declared cash in drawer of main currency *1</td> </tr> <tr> <td></td> <td></td> <td>-0.00</td> <td>Difference (= declared - accumulated) *1</td> </tr> <tr> <td>EURO money</td> <td></td> <td>€187.67</td> <td>Declared cash in drawer of sub currency *1</td> </tr> <tr> <td></td> <td></td> <td>-10.87</td> <td>Difference (= declared - accumulated) *1</td> </tr> <tr> <td>GROSS</td> <td></td> <td>981.25</td> <td>Gross total *3</td> </tr> <tr> <td></td> <td></td> <td>+6,574.40</td> <td></td> </tr> <tr> <td>NET</td> <td>No</td> <td>111</td> <td>Net total *3</td> </tr> <tr> <td></td> <td></td> <td>+7,057.14</td> <td></td> </tr> <tr> <td>CAID</td> <td></td> <td>+6,919.04</td> <td>Cash in drawer *3</td> </tr> <tr> <td>CHID</td> <td></td> <td>-139.04</td> <td>Charge in drawer *3</td> </tr> <tr> <td>CKID</td> <td></td> <td>-859.85</td> <td>Check in drawer *3</td> </tr> <tr> <td>CRID(1)</td> <td></td> <td>-709.85</td> <td>Credit in drawer *3</td> </tr> <tr> <td>RF</td> <td>No</td> <td>3</td> <td>Refund mode *3</td> </tr> <tr> <td></td> <td></td> <td>-10.22</td> <td></td> </tr> <tr> <td>CUST</td> <td>CT</td> <td>111</td> <td>Customer number *3</td> </tr> <tr> <td>AVRG</td> <td></td> <td>+63.57</td> <td>Average sales per customer *3</td> </tr> <tr> <td>DC</td> <td></td> <td>-1.22</td> <td>Discount total *3</td> </tr> <tr> <td>REF</td> <td></td> <td>-2.42</td> <td>Refund key *3</td> </tr> <tr> <td>CLEAR</td> <td>No</td> <td>85</td> <td>Clear key count *3</td> </tr> <tr> <td>ROUND</td> <td></td> <td>-0.00</td> <td>Rounding total *3</td> </tr> <tr> <td>CANCEL</td> <td>No</td> <td>2</td> <td>Cancellation *3</td> </tr> <tr> <td></td> <td></td> <td>-12.97</td> <td></td> </tr> <tr> <td>TA1</td> <td></td> <td>+2,369.69</td> <td>Taxable 1 amount *3</td> </tr> <tr> <td>TX1</td> <td></td> <td>-128.86</td> <td>Tax 1 amount *3</td> </tr> <tr> <td>TA2</td> <td></td> <td>+2,172.96</td> <td>Taxable 2 amount *3</td> </tr> <tr> <td>TX2</td> <td></td> <td>-217.33</td> <td>Tax 2 amount *3</td> </tr> <tr> <td>GT1</td> <td></td> <td>+00000000125478.96</td> <td>Grand total 1 *3</td> </tr> <tr> <td>GT2</td> <td></td> <td>+00000000346284.23</td> <td>Grand total 2 *3</td> </tr> <tr> <td>GT3</td> <td></td> <td>+00000000123212.75</td> <td>Grand total 3 *3</td> </tr> <tr> <td>Z</td> <td>TRANS</td> <td>0001</td> <td>Function key report title/reset counter</td> </tr> </tbody> </table>	Z	BATCH01		Report title	Z	FIX	0001	Fixed total report title/reset counter *4			0001011	Report code	DECLA		+6,919.04	Declared cash in drawer of main currency *1			-0.00	Difference (= declared - accumulated) *1	EURO money		€187.67	Declared cash in drawer of sub currency *1			-10.87	Difference (= declared - accumulated) *1	GROSS		981.25	Gross total *3			+6,574.40		NET	No	111	Net total *3			+7,057.14		CAID		+6,919.04	Cash in drawer *3	CHID		-139.04	Charge in drawer *3	CKID		-859.85	Check in drawer *3	CRID(1)		-709.85	Credit in drawer *3	RF	No	3	Refund mode *3			-10.22		CUST	CT	111	Customer number *3	AVRG		+63.57	Average sales per customer *3	DC		-1.22	Discount total *3	REF		-2.42	Refund key *3	CLEAR	No	85	Clear key count *3	ROUND		-0.00	Rounding total *3	CANCEL	No	2	Cancellation *3			-12.97		TA1		+2,369.69	Taxable 1 amount *3	TX1		-128.86	Tax 1 amount *3	TA2		+2,172.96	Taxable 2 amount *3	TX2		-217.33	Tax 2 amount *3	GT1		+00000000125478.96	Grand total 1 *3	GT2		+00000000346284.23	Grand total 2 *3	GT3		+00000000123212.75	Grand total 3 *3	Z	TRANS	0001	Function key report title/reset counter
Z	BATCH01		Report title																																																																																																																																		
Z	FIX	0001	Fixed total report title/reset counter *4																																																																																																																																		
		0001011	Report code																																																																																																																																		
DECLA		+6,919.04	Declared cash in drawer of main currency *1																																																																																																																																		
		-0.00	Difference (= declared - accumulated) *1																																																																																																																																		
EURO money		€187.67	Declared cash in drawer of sub currency *1																																																																																																																																		
		-10.87	Difference (= declared - accumulated) *1																																																																																																																																		
GROSS		981.25	Gross total *3																																																																																																																																		
		+6,574.40																																																																																																																																			
NET	No	111	Net total *3																																																																																																																																		
		+7,057.14																																																																																																																																			
CAID		+6,919.04	Cash in drawer *3																																																																																																																																		
CHID		-139.04	Charge in drawer *3																																																																																																																																		
CKID		-859.85	Check in drawer *3																																																																																																																																		
CRID(1)		-709.85	Credit in drawer *3																																																																																																																																		
RF	No	3	Refund mode *3																																																																																																																																		
		-10.22																																																																																																																																			
CUST	CT	111	Customer number *3																																																																																																																																		
AVRG		+63.57	Average sales per customer *3																																																																																																																																		
DC		-1.22	Discount total *3																																																																																																																																		
REF		-2.42	Refund key *3																																																																																																																																		
CLEAR	No	85	Clear key count *3																																																																																																																																		
ROUND		-0.00	Rounding total *3																																																																																																																																		
CANCEL	No	2	Cancellation *3																																																																																																																																		
		-12.97																																																																																																																																			
TA1		+2,369.69	Taxable 1 amount *3																																																																																																																																		
TX1		-128.86	Tax 1 amount *3																																																																																																																																		
TA2		+2,172.96	Taxable 2 amount *3																																																																																																																																		
TX2		-217.33	Tax 2 amount *3																																																																																																																																		
GT1		+00000000125478.96	Grand total 1 *3																																																																																																																																		
GT2		+00000000346284.23	Grand total 2 *3																																																																																																																																		
GT3		+00000000123212.75	Grand total 3 *3																																																																																																																																		
Z	TRANS	0001	Function key report title/reset counter																																																																																																																																		

<pre> 0001012 CASH No 362 -1,638.04 CH No 56 -1,174.85 No 4 -0.00 PD No 5 -520.00 -5.00 CORR No 14 -39.55 VLD No 19 RCT No 3 NS No 5 ----- Z DEPT 0001 0001015 DEPT01 38 8.13% -257.53 OLD PRC -2.21 RED PRC -4.18 DISCOUNT -5.80 DEPT02 183 -1,362.26 127.54 RED PRC DISCOUNT -17.22 ----- TL 88.61 -1,916.10 RED PRC -12.18 DISCOUNT -9.50 ----- Z CASHIER 0001 0001017 C01 1 GROSS 421.25 -2,872.28 NET No 111 -1,845.35 CAID -1,057.14 CHID -139.04 RF No 1 ----- </pre>	<p>Report code</p> <p>Function key count/amount *2</p> <p>Department report title/reset counter</p> <p>Report code</p> <p>Department name/No. of items *2</p> <p>Sales ratio/amount *2</p> <p>Old price amount *2</p> <p>Red price amount *2</p> <p>Discount amount *2</p> <p>Total No. of items</p> <p>Total amount</p> <p>Red amount total</p> <p>Discount amount total</p> <p>Clerk report title/reset counter</p> <p>Report code</p> <p>Clerk name/drawer No.</p> <p>Gross total</p> <p>Net total</p> <p>Cash in drawer</p> <p>Refund mode</p>
<pre> CLEAR No 5 -1.00 -4.43 C02 1 </pre>	<p>Clear key count</p> <p>Clerk name/drawer No.</p>

***1 Money declaration:**

Count how much cash is in the drawer and input this amount (up to 10 digits).

The cash register will automatically compare the input with the cash in drawer in the memory and print the difference between these two amounts.

Note that if money declaration is required by programming, you cannot skip this procedure.

***2** Zero totalled departments/functions (the amount and item numbers are both zero) are not printed.

***3** These items can be skipped by programming.

***4** The “*” symbol is printed on the reset report, memory overflow occurred in the counter/totalizer.

Advanced Operations

To print the PLU read/reset report

This report shows sales for PLUs.

OPERATION	REPORT																																																																																
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> X1/Z1 (read/reset) Mode switch </div> <div style="text-align: center; margin: 5px 0;">↓</div> <div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 10px;">0</div> <div style="border: 1px solid black; padding: 2px 10px;">1</div> <div style="border: 1px solid black; padding: 2px 10px;">4</div> <div style="border: 1px solid black; padding: 2px 10px; font-size: 8px;">CA/AMT /TEND</div> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>X</td> <td>PLU</td> <td></td> <td>Read symbol/report title</td> </tr> <tr> <td></td> <td></td> <td>0000014</td> <td>Report code</td> </tr> <tr> <td>PLU0001</td> <td></td> <td>17</td> <td>PLU name/No. of items</td> </tr> <tr> <td>0.53%</td> <td></td> <td>-17.00</td> <td>Sales ratio/PLU amount</td> </tr> <tr> <td>OLD PRC</td> <td></td> <td>-0.00</td> <td>Old price amount</td> </tr> <tr> <td>RED PRC</td> <td></td> <td>-2.18</td> <td>Red price amount</td> </tr> <tr> <td>DISCOUNT</td> <td></td> <td>-2.50</td> <td>Discount amount</td> </tr> <tr> <td>#000001</td> <td></td> <td></td> <td>PLU random code</td> </tr> <tr> <td colspan="3" style="border-top: 1px solid black;"></td> <td></td> </tr> <tr> <td>PLU0100</td> <td></td> <td>47</td> <td></td> </tr> <tr> <td>4.03%</td> <td></td> <td>-69.00</td> <td></td> </tr> <tr> <td>OLD PRC</td> <td></td> <td>-0.00</td> <td></td> </tr> <tr> <td>RED PRC</td> <td></td> <td>-5.18</td> <td></td> </tr> <tr> <td>DISCOUNT</td> <td></td> <td>-0.50</td> <td></td> </tr> <tr> <td>#000100</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="border-top: 1px dashed black;"></td> <td></td> </tr> <tr> <td>TL</td> <td></td> <td>188.61</td> <td>Total No. of items</td> </tr> <tr> <td></td> <td></td> <td>-516.10</td> <td>Total amount</td> </tr> <tr> <td>RED PRC</td> <td></td> <td>-12.18</td> <td>Red amount total</td> </tr> <tr> <td>DISCOUNT</td> <td></td> <td>-9.50</td> <td>Discount amount total</td> </tr> </table>	X	PLU		Read symbol/report title			0000014	Report code	PLU0001		17	PLU name/No. of items	0.53%		-17.00	Sales ratio/PLU amount	OLD PRC		-0.00	Old price amount	RED PRC		-2.18	Red price amount	DISCOUNT		-2.50	Discount amount	#000001			PLU random code					PLU0100		47		4.03%		-69.00		OLD PRC		-0.00		RED PRC		-5.18		DISCOUNT		-0.50		#000100								TL		188.61	Total No. of items			-516.10	Total amount	RED PRC		-12.18	Red amount total	DISCOUNT		-9.50	Discount amount total
X	PLU		Read symbol/report title																																																																														
		0000014	Report code																																																																														
PLU0001		17	PLU name/No. of items																																																																														
0.53%		-17.00	Sales ratio/PLU amount																																																																														
OLD PRC		-0.00	Old price amount																																																																														
RED PRC		-2.18	Red price amount																																																																														
DISCOUNT		-2.50	Discount amount																																																																														
#000001			PLU random code																																																																														
PLU0100		47																																																																															
4.03%		-69.00																																																																															
OLD PRC		-0.00																																																																															
RED PRC		-5.18																																																																															
DISCOUNT		-0.50																																																																															
#000100																																																																																	
TL		188.61	Total No. of items																																																																														
		-516.10	Total amount																																																																														
RED PRC		-12.18	Red amount total																																																																														
DISCOUNT		-9.50	Discount amount total																																																																														

To print the hourly sales read/reset report

This report shows hourly breakdowns of sales.

OPERATION	REPORT																																																																								
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> X1/Z1 (read/reset) Mode switch </div> <div style="text-align: center; margin: 5px 0;">↓</div> <div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 10px;">0</div> <div style="border: 1px solid black; padding: 2px 10px;">1</div> <div style="border: 1px solid black; padding: 2px 10px;">9</div> <div style="border: 1px solid black; padding: 2px 10px; font-size: 8px;">CA/AMT /TEND</div> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>X</td> <td>HOURLY</td> <td></td> <td>Read symbol/report title</td> </tr> <tr> <td></td> <td></td> <td>0000019</td> <td>Report code</td> </tr> <tr> <td>00:00->01:00</td> <td></td> <td></td> <td>Time range</td> </tr> <tr> <td></td> <td>CT</td> <td>1</td> <td>No. of customers</td> </tr> <tr> <td>GROSS</td> <td></td> <td>-1.10</td> <td>Gross sales amount</td> </tr> <tr> <td>NET</td> <td>No</td> <td>1</td> <td>No. of receipt</td> </tr> <tr> <td>1.00%</td> <td></td> <td>-1.20</td> <td>Sales ratio/net sales amount</td> </tr> <tr> <td colspan="3" style="border-top: 1px solid black;"></td> <td></td> </tr> <tr> <td>23:00->00:00</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>CT</td> <td>1</td> <td></td> </tr> <tr> <td>GROSS</td> <td></td> <td>-3.45</td> <td></td> </tr> <tr> <td>NET</td> <td>No</td> <td>1</td> <td></td> </tr> <tr> <td>3.90%</td> <td></td> <td>-3.59</td> <td></td> </tr> <tr> <td colspan="3" style="border-top: 1px dashed black;"></td> <td></td> </tr> <tr> <td>TL</td> <td>CT</td> <td>280</td> <td>Total No. of customers</td> </tr> <tr> <td>GROSS</td> <td></td> <td>-1,937.61</td> <td>Gross total amount</td> </tr> <tr> <td>NET</td> <td>No</td> <td>25</td> <td>Total No. of receipt</td> </tr> <tr> <td></td> <td></td> <td>-2,096.80</td> <td>Net total amount</td> </tr> </table>	X	HOURLY		Read symbol/report title			0000019	Report code	00:00->01:00			Time range		CT	1	No. of customers	GROSS		-1.10	Gross sales amount	NET	No	1	No. of receipt	1.00%		-1.20	Sales ratio/net sales amount					23:00->00:00					CT	1		GROSS		-3.45		NET	No	1		3.90%		-3.59						TL	CT	280	Total No. of customers	GROSS		-1,937.61	Gross total amount	NET	No	25	Total No. of receipt			-2,096.80	Net total amount
X	HOURLY		Read symbol/report title																																																																						
		0000019	Report code																																																																						
00:00->01:00			Time range																																																																						
	CT	1	No. of customers																																																																						
GROSS		-1.10	Gross sales amount																																																																						
NET	No	1	No. of receipt																																																																						
1.00%		-1.20	Sales ratio/net sales amount																																																																						
23:00->00:00																																																																									
	CT	1																																																																							
GROSS		-3.45																																																																							
NET	No	1																																																																							
3.90%		-3.59																																																																							
TL	CT	280	Total No. of customers																																																																						
GROSS		-1,937.61	Gross total amount																																																																						
NET	No	25	Total No. of receipt																																																																						
		-2,096.80	Net total amount																																																																						

To print the monthly sales read/reset report

This report shows monthly breakdowns of sales.

OPERATION	REPORT																																																																																				
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> X1/Z1 (read/reset) Mode switch </div> <div style="text-align: center; margin: 5px 0;">↓</div> <div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">0</div> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">2</div> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">0</div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">CA/AMT /TEND</div> </div>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">X</td> <td style="width: 40%;">MONTHLY</td> <td style="width: 10%;"></td> <td style="width: 40%;">Read symbol/report title</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">0000020</td> <td>Report code</td> </tr> <tr> <td></td> <td>1.....</td> <td></td> <td>Date of a month</td> </tr> <tr> <td>GROSS</td> <td></td> <td style="text-align: right;">1236.76</td> <td>Gross symbol/No. of items</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-12,202.57</td> <td>Gross sales amount</td> </tr> <tr> <td>NET</td> <td>No</td> <td style="text-align: right;">214</td> <td>Net symbol/No. of customers</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-12,202.57</td> <td>Net sales amount</td> </tr> <tr> <td colspan="4" style="border-top: 1px dashed black;"></td> </tr> <tr> <td></td> <td>31.....</td> <td></td> <td></td> </tr> <tr> <td>GROSS</td> <td></td> <td style="text-align: right;">2132</td> <td></td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-14,187.57</td> <td></td> </tr> <tr> <td>NET</td> <td>No</td> <td style="text-align: right;">205</td> <td></td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-13,398.76</td> <td></td> </tr> <tr> <td colspan="4" style="border-top: 1px dashed black;"></td> </tr> <tr> <td>TL</td> <td></td> <td></td> <td>Total symbol</td> </tr> <tr> <td>GROSS</td> <td></td> <td style="text-align: right;">9746.63</td> <td>Gross symbol/No. of items</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-161,022.49</td> <td>Gross sales amount</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-16.52</td> <td>Average daily gross sales</td> </tr> <tr> <td>NET</td> <td>No</td> <td style="text-align: right;">2351</td> <td>Net symbol/No. of customers</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-161,022.49</td> <td>Net sales amount</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-68.49</td> <td>Average daily net sales</td> </tr> </table>	X	MONTHLY		Read symbol/report title			0000020	Report code		1		Date of a month	GROSS		1236.76	Gross symbol/No. of items			-12,202.57	Gross sales amount	NET	No	214	Net symbol/No. of customers			-12,202.57	Net sales amount						31			GROSS		2132				-14,187.57		NET	No	205				-13,398.76						TL			Total symbol	GROSS		9746.63	Gross symbol/No. of items			-161,022.49	Gross sales amount			-16.52	Average daily gross sales	NET	No	2351	Net symbol/No. of customers			-161,022.49	Net sales amount			-68.49	Average daily net sales
X	MONTHLY		Read symbol/report title																																																																																		
		0000020	Report code																																																																																		
	1		Date of a month																																																																																		
GROSS		1236.76	Gross symbol/No. of items																																																																																		
		-12,202.57	Gross sales amount																																																																																		
NET	No	214	Net symbol/No. of customers																																																																																		
		-12,202.57	Net sales amount																																																																																		
	31																																																																																				
GROSS		2132																																																																																			
		-14,187.57																																																																																			
NET	No	205																																																																																			
		-13,398.76																																																																																			
TL			Total symbol																																																																																		
GROSS		9746.63	Gross symbol/No. of items																																																																																		
		-161,022.49	Gross sales amount																																																																																		
		-16.52	Average daily gross sales																																																																																		
NET	No	2351	Net symbol/No. of customers																																																																																		
		-161,022.49	Net sales amount																																																																																		
		-68.49	Average daily net sales																																																																																		

To print the group read/reset report

This report shows PLU/subdepartment/department group totals.

OPERATION	REPORT																																																								
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> X1/Z1 (read/reset) Mode switch </div> <div style="text-align: center; margin: 5px 0;">↓</div> <div style="display: flex; justify-content: center; gap: 10px;"> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">0</div> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">1</div> <div style="border: 1px solid black; padding: 2px 10px; font-weight: bold;">6</div> <div style="border: 1px solid black; padding: 2px 5px; font-size: 8px;">CA/AMT /TEND</div> </div>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">X</td> <td style="width: 40%;">GROUP</td> <td style="width: 10%;"></td> <td style="width: 40%;">Read symbol/report title</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">0000016</td> <td>Report code</td> </tr> <tr> <td>GROUP01</td> <td></td> <td style="text-align: right;">203.25</td> <td>Group No./No. of items</td> </tr> <tr> <td></td> <td>33.87%</td> <td style="text-align: right;">-1,108.54</td> <td>Sales ratio/group amount</td> </tr> <tr> <td>GROUP02</td> <td></td> <td style="text-align: right;">183</td> <td></td> </tr> <tr> <td></td> <td>40.58%</td> <td style="text-align: right;">-1,327.80</td> <td></td> </tr> <tr> <td>GROUP03</td> <td></td> <td style="text-align: right;">12</td> <td></td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-13.25</td> <td></td> </tr> <tr> <td colspan="4" style="border-top: 1px dashed black;"></td> </tr> <tr> <td>GROUP99</td> <td></td> <td style="text-align: right;">13</td> <td></td> </tr> <tr> <td></td> <td>0.54%</td> <td style="text-align: right;">-17.80</td> <td></td> </tr> <tr> <td colspan="4" style="border-top: 1px dashed black;"></td> </tr> <tr> <td>TL</td> <td></td> <td style="text-align: right;">862</td> <td>Group total No. of items</td> </tr> <tr> <td></td> <td></td> <td style="text-align: right;">-3,272.00</td> <td>Group total amount</td> </tr> </table>	X	GROUP		Read symbol/report title			0000016	Report code	GROUP01		203.25	Group No./No. of items		33.87%	-1,108.54	Sales ratio/group amount	GROUP02		183			40.58%	-1,327.80		GROUP03		12				-13.25						GROUP99		13			0.54%	-17.80						TL		862	Group total No. of items			-3,272.00	Group total amount
X	GROUP		Read symbol/report title																																																						
		0000016	Report code																																																						
GROUP01		203.25	Group No./No. of items																																																						
	33.87%	-1,108.54	Sales ratio/group amount																																																						
GROUP02		183																																																							
	40.58%	-1,327.80																																																							
GROUP03		12																																																							
		-13.25																																																							
GROUP99		13																																																							
	0.54%	-17.80																																																							
TL		862	Group total No. of items																																																						
		-3,272.00	Group total amount																																																						

Advanced Operations

• Periodic sales read report (“X2” mode)

You can print read reports at any time during the business day without affecting the data stored in the cash register's memory.

• Periodic sales reset report (“Z2” mode)

You should print reset reports at the end of the business day.

To print the periodic 1/2 sales read/reset reports

These reports show sales breakdowns of sales by any two kinds of period you want.

OPERATION	REPORT
<div style="border: 1px solid black; padding: 5px; width: fit-content; margin: 0 auto;"> <p>X2/Z2 (read/reset) Mode switch</p> </div> <p style="text-align: center;">↓</p> <div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; padding: 2px 5px; margin-right: 5px;">1</div> <div style="border: 1px solid black; padding: 2px 5px;">CA/AMT /TEND</div> </div>	<pre> ----- ZZ1 BATCH02 Report title ----- ZZ1 FIX 0001 Fixed total report title/reset counter 0001111 Report code GROSS 981.25 Gross total *2 -6,574.40 NET No 111 Net total *2 -7,057.14 CAID -6,919.04 Cash in drawer *2 CHID -139.04 Charge in drawer *2 CKID -859.85 Check in drawer *2 CRID(1) -709.85 Credit in drawer *2 ----- RF No 3 Refund mode *2 -10.22 CUST CT 111 Customer number *2 AVRG -63.57 Average sales per customer *2 DC -1.22 Discount total *2 REF -2.42 Refund key *2 CLEAR No 85 Clear key count *2 ROUND -0.00 Rounding total *2 CANCEL No 2 Cancellation *2 -12.97 ----- TA1 -2,369.69 Taxable 1 amount *2 TX1 -128.86 Tax 1 amount *2 TA2 -2,172.96 Taxable 2 amount *2 TX2 -217.33 Tax 2 amount *2 ----- ZZ1 TRANS 0001 Function key report title/reset counter 0001112 Report code CASH No 362 Function key count/amount *1 -1,638.04 CH No 56 -1,174.85 RC No 4 -810.00 PD No 5 </pre>

			-5.00	
CORR	No	14		
			-39.55	
VLD	No	19		
RCT	No	7		
NS	No	5		

ZZ1 DEPT		0001		Department report title/reset counter
		0001115		Report code
DEPT01		38		Department Name/No. of items *1
8.13%			-257.53	Sales ratio/amount *1
OLD PRC			-2.21	Old price amount *1
RED PRC			-4.18	Red price amount *1
DISCOUNT			-5.80	Discount amount *1
DEPT02		183		
			-1,362.26	
RED PRC			-123.21	
DISCOUNT			-17.22	

TL		88.61		Total No. of items
			-1,916.10	Total amount
RED PRC			-12.18	Red amount total
DISCOUNT			-9.50	Discount amount total

ZZ1 CASHIER		0001		Clerk report title/reset counter
		0001117		Report code
C01	1		Clerk name/drawer No.
GROSS			421.25	Gross total
			-2,872.28	
NET	No	111		Net total
			-1,845.35	
CAID			-1,057.14	Cash in drawer
CHID			-139.04	
RF	No	1		Refund mode
			-1.00	
CLEAR	No	5		Clear key count
			-4.43	
C02	1		Clerk name/drawer No.

*1 Zero totalled departments/functions (the amount and item numbers are both zero) are not printed.


*2 These items can be skipped by programming.

Advanced Operations

To print other sales read/reset reports

The following reports can be issued.

Procedure




Report/command code list

Report name	Command code Read #=0/Reset # = 1			Report name	Command code Read #=0/Reset # = 1		
	Daily	Periodic 1	Periodic 2		Daily	Periodic 1	Periodic 2
Fix totalizer	11	#111	#211	Group	16	#116	#216
Transaction key	12	#112	#212	Clerk	17	#117	#217
Subdepartment	13	#113	#213	individual	2017	2#117	2#217
PLU by record number (all) *	14	#114	#214	Hourly sales	19	#119	#219
all PLU by random code *	14	#114	#214	Monthly sales	20	#120	#220
by group	1000014	100#114	100#214	Open check	25	-----	-----
by department	2000014	200#114	200#214	total	40025	-----	-----
by subdepartment	3000014	300#114	300#214	Scanning PLU by range department (all)	26	-----	-----
individual by group	1020014	102#114	102#214	by range group	1000026	-----	-----
individual by department	2020014	202#114	202#214	by range department	2000026	-----	-----
individual by subdepartment	3020014	302#114	302#214	by range subdepartment	3000026	-----	-----
range by record number *	10014	1#114	1#214	best 50 by range department	80026	-----	-----
range by random code *	10014	1#114	1#214	inactive item by range department	90026	-----	-----
best 50 (amount order)	60014	60114	60214	Not found PLU by range department (all)	27	-----	-----
best 50 (quantity order)	70014	70114	70214	Table analysis	28	#128	#228
PLU stock all PLU by record number *	64	-----	-----	Hourly item	31	#131	#231
all PLU by random code *	64	-----	-----	Mix & match	61	#161	#261
by group	1000064	-----	-----	Financial	71	-----	-----
by department	2000064	-----	-----	Individual (item/transaction key)	No code	-----	-----
by subdepartment	3000064	-----	-----	PLU reset (no report)	50014	51114	51214
individual by group	1020064	-----	-----	Scanning PLU reset (no report)	50026	-----	-----
individual by department	2020064	-----	-----	Not found PLU reset (no report)	50027	-----	-----
individual by subdepartment	3020064	-----	-----	Not found PLU file reset (incl. program)	80027	-----	-----
range by record number *	10064	-----	-----	Not found PLU maintenance file reset	80082	-----	-----
range by random code *	10064	-----	-----				
Department	15	#115	#215				
best 50 (amount order)	60015	60115	60215				
best 50 (quantity order)	70015	70115	70215				

* You can choose by record number/by random code by program.


Reading the cash register's program

To print unit price/rate program (except PLU/scanning PLU)




Advanced Operations

To print key descriptor, name, message program (except PLU)



To print the PLU program

OPERATION



REPORT

P01.....	Program read symbol
#000001 - #999999	Read range
PLU0001 0001-04	Item character/rec-#/file-#
#000001	Random code
1.2 @1.00	Unit quantity/unit price
PLU0002 0002-04	
#000002	
1 @2.00	

P03.....	Program read symbol
#000001 - #999999	Read range
PLU0001 0001-04	Item character/rec-#/file-#
0000000000000000	Batch program 01 ~ 1066, 18 ~ 1966
11-66 000000	Batch program 1166
12-66 #000001	Batch program 1266
13-66 <- 0001-28	Batch program 1366
14-66 0	Batch program 1466
15-66 @1234.56	Batch program 1566
16-66 000000	Batch program 1666
17-66 00	Batch program 1766
PLU0002 0002-04	
0000000000000000	
11-66 000000	

Troubleshooting

This section describes what to do when you have problems with operation.

When an error occurs

Errors are indicated by an error codes. When this happens, you can usually find out what the problem is as shown below.

Press **C** and check the appropriate section of this manual for the operation you want to perform.


Error code	Message	Meaning	Action
E001	Wrong mode	Mode switch position changed before finalization.	Return the mode switch to its original setting and finalize the operation.
E003	Wrong operator	Clerk button pressed before finalization of a registration being performed under another clerk button. The signed on clerk differs from the clerk performed the tracking check registration.	Press the original clerk button and finalize the transaction before pressing another clerk button. Input correct check number or assign the proper clerk number.
E004	Error INIT/FC	Initialization or unit lock clear operation in progress.	Complete operation.
E005	Insufficient memory	Memory allocation exceeds total memory capacity.	Reallocate memory or expand memory (if possible).
E008	Please sign on	Registration without entering a clerk number.	Enter a clerk number.
E009	Enter password	Operation without entering the password.	Enter password.
E010	Close the drawer	The drawer is left open longer than the program time (drawer open alarm).	Close the drawer.
E011	Close the drawer	Attempt to register while the cash drawer is open.	Shut the cash drawer.
E013	Journal paper near end	Journal paper near end. (option)	Replace the journal paper.
E015	Check R/J printer	Printer error	
E016	Change back to REG mode	Two consecutive transactions attempted in the refund mode.	Switch to another mode and then back to the RF mode for the next transaction.
E017	Enter CHK/TBL number	Attempt made to register an item without inputting a check number.	Input a check number.
E018	Enter Table number	Attempt made to register an item without inputting a table number.	Input a table number.
E019	Enter number of customers	Finalize operation attempted without entering the number of customer.	Enter the number of customer.
E021	No Dept Link	No department linked PLU is registered.	Correct the program.
E022	Not found PLU	PLU code is not found in the scanning PLU file.	Perform department registration.
E023	Stock shortage	Actual stock quantity becomes less than the minimum stock quantity.	Perform stock maintenance.
E024	No stock	Actual stock quantity becomes/is negative.	Perform stock maintenance.
E025	Illegal scale read or entry	Scale read error/perform non-scale registration to scalable item.	Retry registration/register to a proper department or PLU.
E026	Enter condiment/preparation PLU	No condiment/preparation PLU is registered.	Register condiment/preparation PLU.
E029	In the tender operation	Item registration is prohibited, while partial tender.	Finalize the transaction.
E030	Press RATE TAX key	Finalization of a transaction attempted without registering rate-tax.	Register <RATE TAX>.
E031	Press ST key	Finalization of a transaction attempted without confirming the subtotal.	Press <SUBTOTAL>.
E032	Press FSST key	Finalization of a transaction attempted without confirming of the food stamp subtotal.	Press <FS/ST>.
E033	Enter tender amount	Finalize operation attempted without entering amount tender.	Enter the amount tendered.
E035	Change amount exceeds limit	Change amount exceeds preset limit.	Input amount tendered again.
E036	Remove money from the drawer	Contents of the drawer exceed programmed limit.	Perform pick up operation.
E037	Digit or amount limitation over	High amount lock out/low digit lock out error	Enter correct amount.
E038	Perform money declaration	Read/reset operation without declaring cash in drawer. This error appears only when this function is activated.	Perform money declaration.
E040	Issue guest receipt	Attempt to register a new transaction without issuing a guest receipt.	Issue a guest receipt.
E041	Print validation	Attempt to register a new transaction without validation.	Perform validation operation.
E044	Print cheque	Attempt to register a new transaction without printing check.	Perform check print.
E045	Print Cheque Endorsement	Attempt to register a new transaction without printing check endorsement.	Perform check endorsement.
E046	REG buffer full	Registration buffer full. Separate check buffer full.	Finalize the transaction. Allocate sufficient separate check buffer.
E047	Print bill	Attempt to register a new transaction without printing slip.	Perform slip printing operation.
E048	Insert slip paper and retry	No paper is inserted or paper is out in the slip printer.	Insert new slip paper.

Troubleshooting

Error code	Message	Meaning	Action
E049	CHECK memory full	Check tracking index memory full.	Finalize and close the check number currently used.
E050	DETAIL memory full	Check tracking detail memory full.	Finalize and close the check number currently used.
E051	CHK/TBL No. is occupied	Attempt to made use <NEW CHECK> to open a new check using a number that is already used for an existing check in check tracking memory.	Finalize and close the check that is currently under the number that you want to use or use a different check number.
E053	CHK/TBL No. is not opened	Attempt made to use <OLD CHECK> reopen a new check using a number that is not used for an existing check in check tracking memory.	Use the correct check number (if you want to reopen a check that already exists in check tracking memory) or use <NEW CHECK> to open a new check.
E054	Out of CHK/TBL No. range	Check number range over.	Enter correct number.
E055	In the SEP CHK operation	Normal registration is prohibited during separate check operation.	Terminate separate check operation.
E059	Press EAT-IN or TAKE-OUT key	Attempt to finalize a transaction without specifying <EAT-IN> or <TAKE-OUT>.	Press <EAT-IN> or <TAKE-OUT>.
E060	Printer offline	External printer offline	
E061	Printer error	External printer went down.	
E062	Printer paper end	External printer paper end	Replace new paper.
E063	Printer busy	External printer is now printing.	
E064	Print buffer full	Printing buffer full	
E066	Print from the beginning of the transaction	Attempt to print the last separated transaction on slip.	Print from the beginning of the transaction
E075	Negative balance cannot be finalized	Attempt to finalize a transaction when balance is less than or equal to zero.	Register item(s) until the balance becomes positive amount.
E085	Data exist in consolidation file	Data exists in the consolidation file.	Clear the data.
E099	Check NFP items	Disable to read/reset or consolidate the not found PLU item.	
E100	Operate at master terminal	Prohibit master operation.	Perform it at master terminal.
E101	PLU maintenance file full. Press <#2> to exit	Scanning PLU direct maintenance/batch maintenance file becomes full.	Terminate the maintenance.
E102	NFP maintenance file full. Press <#2> to exit	Not found PLU maintenance file becomes full.	Terminate the maintenance
E105	PLU file full	Scanning PLU/not found PLU file full	
E121	Inline startup error	Network startup error.	
E139	Negative balance is not allowed	Attempt to register <-> or <CPN> when the balance becomes negative.	Enter proper minus/coupon amount.
E146	Arrangement file full	Arrangement file is full.	Set the arrangement properly.
E200	Insert RAC-9	No memory cassette is set.	Set memory cassette.
E202	File not found	Can not read, because no designated file is in the memory cassette or internal flash memory.	Check the operation and retry.
E203	Insufficient memory	Insufficient memory in the memory cassette or internal flash memory.	Use a vacant (formatted) memory cassette.
E204	Check the write protect switch	Write protect switch of the memory cassette is on.	Check the write protect switch.
E205	File already exist.	Can not write, because designated file has already been in the memory cassette or internal flash memory.	Check the operation and retry.

When the register does not operate at all

Perform the following check whenever the cash register enter an error condition as soon as you switch it on. The results of this check are required by service personnel, so be sure to perform this check before you contact a CASIO representative for servicing.



Clearing a machine lock up

If you make a mistake in operation, the cash register may lock up to avoid damage to programs and preset data. Should it happens, you can use the following procedure to clear the lock up without losing any data.

- 1 Power off the register.
- 2 Insert the PGM key in the mode switch.
- 3 Press down **RECEIPT FEED**, and turn the mode switch to PGM mode.
- 4 The display shows ten Fs, then release **RECEIPT FEED**.
- 5 Press **SUB TOTAL**. The display shows ten Fs and issue a receipt.

Important!

- If the register does not show ten Fs, never press **SUB TOTAL** and call service representative.

In case of power failure

If the power supply to the cash register is cut by a power failure or any other reason, simply wait for power to be restored. The details of any on-going transaction as well as all sales data in memory are protected by the memory backup batteries.

- Power failure during a registration
The subtotal for items registered up to the power failure is retained in memory. You will be able to continue with the registration when power is restored.
- Power failure during printing a read/reset report
The data already printed before the power failure is retained in memory. You will be able to issue a report when power is restored.
- Power failure during printing of a receipt and the journal
Printing will resume after power is restored. A line that was being printed when the power failure occurred is printed in full.
- Other
The power failure symbol is printed and any item that was being printed when the power failure occurred is reprinted in full.

The memory protection battery is constantly charging and discharging as you switch the cash register on and off during normal operations. This causes the capacity of the battery to decrease after approximately five years of use.

Important !

- Remember ...a weak battery has the potential of losing valuable transaction data.
- A label on the back of the cash register shows the normal service period of the battery installed in your cash register.
- Have the battery replaced by your dealer within the period noted on this label.

To replace the ink ribbon



①

Open the printer cover.




④

Load a new ink ribbon cassette into the unit.



②

Remove the printer sub cover.



⑤

Turn the knob on the right side of the cassette to take up any slack in the ribbon.

Knob



③

Pull up the knob of the ribbon cassette.


⑥

Reload the roll paper and replace the printer cover and printer sub cover.

Important!

Use only the ERC-32(P) ribbon (purple). Other types of ink ribbons can damage the printer. Never try to extend the life of an ink ribbon by replenishing the ink. Once an ink ribbon is in place, press <#/NS> or <NS> to test for correct operation.

To replace journal paper



1

Set the mode switch to the REG1 position and remove the printer cover.



2

Press **JOURNAL FEED** to feed about 20 cm of paper.



6

Cut the journal paper as shown in the photograph.



3

Cut the journal paper at the point where nothing is printed.




7

Press **JOURNAL FEED** to feed the remaining paper from the printer.



4

Remove the journal take-up reel from its holder.



8

Do not pull the paper out of the printer by hand. It can damage the printer.



5

Slide the printed journal from the take-up reel.



9

Remove the old paper roll from the cash register.

10

Load new paper as described on page 10 of this manual.


To replace receipt paper

Follow step **1** under “To replace journal paper” on the previous page.



2

Cut the receipt paper as shown in the photograph.



4

Do not pull the paper out of the printer by hand. It can damage the printer.



3

Press **RECEIPT FEED** to feed the remaining paper from the printer.



5

Remove the old paper roll from the cash register.

6

Load new paper as described on page 11 of this manual.


To replenish the stamp ink

Follow step **1** under “To replace journal paper” on the previous page.



2

Remove the stamp pad from its holder by lifting the knob.



3

Squirt one or two drops of ink into the holes on the back of the stamp pad.

4

Replace the stamp pad on its holder.

Options

Wetproof cover: WT-77
Memory chip: RAM-610-10LL
Memory cassette: RAC-9
Hand held scanner: HHS-15

Slip printer: SP-1300
Cable: PRT-CB-8C
External printer: UP-350, UP-250
Cable: PRT-CB-8A or PRT-CB-8B
Power supply: PS-170 and AC-170

Consult with your CASIO dealer for details.

Specifications

Input method

Entry: 10-key system, buffer memory 8 keys (2-key roll over)
 Department: Full key system

Display

Amount 10 digits (zero suppression); No. of repeats, total, change, receipt on/off, transaction indicator
 Descriptor 16 digits × 2 lines; item descriptor, No. of items, mode, clerk name

Printer

Receipt: Dot matrix alpha-numeric system 24 digits, receipt on/off switch (key)
 Store name or slogan is printed automatically
 Logo stamp: 20 (H) × 30 (W) mm
 Journal: Dot matrix alpha-numeric system 24 digits
 Automatic take up roll winding
 Journal paper near end sensor (option)
 Validation: 55 digits, one line, for 135 mm (minimum) wide slip
 Paper roll: 45 (W) × 83 (D) mm
 Paper feed: Separate for receipt and journal
 Print speed: 3.0 l/s

Listing capacity

Amount: 99999999
 Quantity: 9999,999
 Tendered amount: 9999999999
 Percent: 99.99
 Tax rate: 9999,9999
 Numbers: 9999999999999999

Chronological data

Date print: Automatic date printout on receipt or journal, automatic calendar
 Time print: Automatic time printout on receipt or journal, 24-hour system/12-hour system

Alarm

Key catch tone, error alarm, sentinel alarm

Memory protection battery

48-hour full charge protects memories for approximately 90 days.
 Battery should be replaced every five years.

Power supply/power consumption

See the rating plate.

Operation temperature

0°C ~ 40°C (32°F ~ 104°F)

Humidity

10 ~ 90%

Dimensions and weight

454mm (H) × 345mm (W) × 218mm (D) /6.5kg
 17^{7/8}" (H) × 13^{9/16}" (W) × 8^{9/16}" (D)/14lbs. 5oz.
 ...without drawer

Totalizers		Contents				Periodic totalizers
Category	No. of totalizers	Amount (10 digits)	No. of items (6 integer/3 decimal)	Count (4 digits)	No. of customers (6 digits)	
Department	Up to 30	✓	✓			✓
PLU	Up to 200	✓	✓			
Clerk	15	✓	✓	✓		✓
Hourly sales	24	✓			✓	
Monthly sales	31	✓	✓		✓	
Transaction	Variable with program	Variable with program				✓
Non ressettable grand total	3	✓ (16 digits)				
Reset counter	14/12			✓		
Consecutive No.	1			✓ (6 digits)		

* Specifications and design are subject to change without notice.

A

- add check 22, 80
- adding to a check 77
- addition (+) 52
- alphabet key 95
- arrangement 22, 59
- assigning a clerk 26

B

- backspace key 95
- bill copy 22, 86
- bottle link 58
- bottle return 22, 58
- bottom message 24, 91

C

- cancel 18, 22, 48
- cash/amount tendered 19, 39
- change 28
- character code 96
- character code fixed key 95
- character enter key 95
- character fixed key 95
- character keyboard 95
- charge 19
- check 19, 39
- check endorsement 22
- check print 22
- check tracking 76
- clearing a machine lock up 113
- clerk button 21, 26
- clerk interrupt 50
- clerk key/button/lock 21, 26
- clerk lock 21, 26
- clerk name 26, 91
- clerk number 90
- clerk read/reset report 99
- clerk secret number key 21, 26
- clerk transfer 22, 82
- closing a check 78
- commercial message 24, 91
- commission rate 90
- condiment 84
- consecutive No. 24
- correction 46
- coupon 19, 22, 55
- coupon II (2) 22, 55
- credit 19, 39
- cube 22
- currency exchange 22, 60
- customer display 16
- customer number 22

D

- daily sales read/reset report 100
- daily sales reset report 49
- date display 27
- date set 12
- declaration 22
- department 19, 28
- department key layout variation 20
- deposit 22, 85
- descriptor 91
- discount (%-) 18, 36
- display 16
- double size letter key 95
- drawer 21

E

- eat-in 22
- EBT (electronic benefits transfer) 22, 71
- editing character 97
- entering characters 95
- error code 110
- error correction 18, 46
- Euro 19, 40

F

- financial read report 99
- flat PLU 22
- food stamp 62
- food stamp shift 22, 62
- food stamp subtotal 22, 62
- food stamp tender 22, 62

G

- group read/reset report 103
- guest receipt 78

H

- high amount limitation 30
- hourly sales read/reset report 102

I

- Illinois rule 65
- indicator 17
- individual clerk read/reset report 99
- individual department, PLU read report 98
- ink ribbon 14, 114
- item counter 17, 24

J

- journal 10, 24, 115
- journal skip 24

K

- Ketten Bon 22
- keyboard 18

L

left cursor key 95
loan 45
logo message 24, 91

M

machine No. 24
main display 16
manual tax 22
media change 18, 45
menu shift 22
merchandise subtotal 22, 35
message 24, 91
minus (-) 18, 37
mixed tender 39
mode key 15
mode switch 15
money declaration 99, 101
monthly sales read/reset report 103
multiplication 18, 29, 33
multiplication/for 18, 29, 34

N

new balance 22, 77
new check 22, 77
new/old check 22, 79
no sale 18, 22, 48
non add 18, 22
normal receipt 22
not found PLU 89
number of customer 73

O

OBR (optical barcode reader) 22
old check 22
one touch NLU 23, 89
open 19
open 2 (release compulsion) 23, 74
open check 23
open PLU 34
opening a check 77
operator number 23, 82
operator X/Z 23
option 116

P

paid out 19, 44
paper feed 18
periodic sales 104
pick up 45
PLU 18, 32
PLU read/reset report 102
plus 23
post receipt 18
power failure 113
premium (%+) 23, 53
preparation 84
preset price 31
preset tax status 31
preset tender 57
previous balance 23
previous balance subtotal 23
previous item void 88
price 19, 23
price change 23
price inquiry 23
price reductions (red price) 83
price shift 23
printing slip 75
program end key 95

R

rate tax 23
read report 98
recall 23
receipt 11, 24, 116
receipt on/off 18
receipt on/off switch / key 14
received on account 19, 44
red price 23, 83
reduction 37
refund 18, 43
repeat 17, 28, 33
reset report 49, 98
return 43
review 23, 81, 88
RF mode 43
right cursor key 95
roll paper 14

Index

S

scale 23
scanning PLU 89
second unit price 56
separate check 23, 81
set menu 59
shift key 95
sign off 26
sign on 26
single item 28, 33, 51
slip 75
slip back feed/release 23, 75
slip feed/release 23, 75
slip print 23, 75
space key 95
split sales of packaged item 29, 34
square 23
stamp ink 116
stock check 50
stock inquiry 23, 87
store 23
subtotal 19

T

table number 23, 77
table transfer 23, 82
takeout 23
tare 23
tax exempt 23
tax shift 19, 35
taxable amount subtotal 23
taxable status 35
text print 23
text recall 23, 74
time display 27
time set 12
tip 23, 72
trainee status 90
tray total 23, 54

U

unit price inquiry 87
unit weight 23

V

validation 18, 42
VAT 19, 85
void 23

W

wetproof cover 116



CASIO®

CASIO COMPUTER CO., LTD.
6-2, Hon-machi 1-chome
Shibuya-ku, Tokyo 151-8543, Japan

SA0002-A

CE-7000*E